

NEWS 5 FEB 22 The IPC thesaurus added to additional patent databases on STN
 NEWS 6 FEB 22 Updates in EPFULL; IPC 8 enhancements added
 NEWS 7 FEB 27 New STN AnaVist pricing effective March 1, 2006
 NEWS 8 MAR 03 Updates in PATDPA; addition of IPC 8 data without attributes
 NEWS 9 MAR 22 EMBASE is now updated on a daily basis
 NEWS 10 APR 03 New IPC 8 fields and IPC thesaurus added to PATDPAFULL
 NEWS 11 APR 03 Bibliographic data updates resume; new IPC 8 fields and IPC thesaurus added in PCTFULL
 NEWS 12 APR 04 STN AnaVist \$500 visualization usage credit offered
 NEWS 13 APR 12 LINSPEC, learning database for INSPEC, reloaded and enhanced
 NEWS 14 APR 12 Improved structure highlighting in FQHIT and QHIT display in MARPAT
 NEWS 15 APR 12 Derwent World Patents Index to be reloaded and enhanced during second quarter; strategies may be affected
 NEWS 16 MAY 10 CA/CAPLUS enhanced with 1900-1906 U.S. patent records
 NEWS 17 MAY 11 KOREAPAT updates resume

NEWS EXPRESS FEBRUARY 15 CURRENT VERSION FOR WINDOWS IS V8.01a, CURRENT MACINTOSH VERSION IS V6.0c(ENG) AND V6.0Jc(JP), AND CURRENT DISCOVER FILE IS DATED 19 DECEMBER 2005. V8.0 AND V8.01 USERS CAN OBTAIN THE UPGRADE TO V8.01a AT <http://download.cas.org/express/v8.0-Discover/>

NEWS HOURS STN Operating Hours Plus Help Desk Availability
 NEWS LOGIN Welcome Banner and News Items
 NEWS IPC8 For general information regarding STN implementation of IPC 8
 NEWS X25 X.25 communication option no longer available after June 2006

Enter NEWS followed by the item number or name to see news on that specific topic.

All use of STN is subject to the provisions of the STN Customer agreement. Please note that this agreement limits use to scientific research. Use for software development or design or implementation of commercial gateways or other similar uses is prohibited and may result in loss of user privileges and other penalties.

COMPLETE THE STN SURVEY - APRIL 27 THROUGH MAY 31

Dear valued STN customer,

In an effort to enhance your experience with STN, we would
 like to better understand what you find useful. Please take
 approximately 5 minutes to complete a web survey.

If you provide us with your name, login ID, and e-mail address, you
 will be entered in a drawing to win a free iPod(R). Your responses
 will be kept confidential and will help us make future improvements
 to STN.

***Take survey: <http://www.zoomerang.com/survey.zgi?p=WEB2259HNKWTUW> ***

Thank you in advance for your participation.

***** STN Columbus *****

FILE 'HOME' ENTERED AT 11:44:46 ON 18 MAY 2006

=> file reg

COST IN U.S. DOLLARS	ENTRY	SINCE FILE SESSION	TOTAL
FULL ESTIMATED COST		0.21	0.21

FILE 'REGISTRY' ENTERED AT 11:44:56 ON 18 MAY 2006
 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
 PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
 COPYRIGHT (C) 2006 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 16 MAY 2006 HIGHEST RN 884586-69-0

\Rightarrow s 13 and 14

L5 218 L3 AND L4

=> s l3 (l) l4

L6 91 L3 (L) L4

=> s l6 not py>2002

3859922 PY>2002

L7 30 L6 NOT PY>2002

=> d ibib 1-8

L7 ANSWER 1 OF 30 CAPLUS COPYRIGHT 2006 ACS on STN

ACCESSION NUMBER: 2004:200078 CAPLUS

DOCUMENT NUMBER: 140:229427

TITLE: Cancer immunotherapy and diagnosis using immunogenic peptides from human cytochrome P 450 1B1

INVENTOR(S): Schultze, Joachim L.; Vonderheide, Robert H.; Sherr, David; Nadler, Lee M.; Maecker, Britta; Von Bergwelt-Baildon, Michael

PATENT ASSIGNEE(S): Dana-Farber Cancer Institute, Inc., USA; Trustees of Boston University

SOURCE: PCT Int. Appl., 120 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: English

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2001035810	A2	20010525	WO 2000-US31513	20001115
WO 2001035810	A3	20020110		
W: CA, JP, US				
RW: AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR				
CA 2390882	AA	20010525	CA 2000-2390882	20001115
EP 1241945	A2	20020925	EP 2000-980436	20001115
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, FI, CY, TR				
PRIORITY APPLN. INFO.:		US 1999-165590P	P 19991115	
		WO 2000-US31513	W 20001115	

L7 ANSWER 2 OF 30 CAPLUS COPYRIGHT 2006 ACS on STN

ACCESSION NUMBER: 2002:486038 CAPLUS

DOCUMENT NUMBER: 138:66278

TITLE: Cell cycle phase perturbations and apoptosis in tumour cells induced by aplidine

AUTHOR(S): Erba, E.; Bassano, L.; Di Liberti, G.; Muradore, I.; Chiorino, G.; Ubezio, P.; Vignati, S.; Codegoni, A.; Desiderio, M. A.; Faircloth, G.; Jimeno, J.; D'Incalci, M.

CORPORATE SOURCE: Cancer Pharmacology Laboratory, Department of Oncology, Istituto di Ricerche Farmacologiche Mario Negri, Milan, 20157, Italy

SOURCE: British Journal of Cancer (2002), 86(9), 1510-1517

CODEN: BJCAAI; ISSN: 0007-0920

PUBLISHER: Nature Publishing Group

DOCUMENT TYPE: Journal

LANGUAGE: English

REFERENCE COUNT: 25 THERE ARE 25 CITED REFERENCES AVAILABLE RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L7 ANSWER 3 OF 30 CAPLUS COPYRIGHT 2006 ACS on STN

ACCESSION NUMBER: 2002:469230 CAPLUS

DOCUMENT NUMBER: 138:32948

TITLE: DNA repair protein levels vis-a-vis anticancer drug resistance in the human tumor cell lines of the National Cancer Institute drug screening program

AUTHOR(S): Xu, Zhiyuan; Chen, Zhong-Ping; Malapetsa, Areti; Alaoui-Jamall, Moulay; Bergeron, Josee; Monks, Anne; Myers, Timothy G.; Mohr, Gerard; Sausville, Edward A.; Scudiero, Dominic A.; Aloyz, Raquel; Panasci, Lawrence C.

CORPORATE SOURCE: Lady Davis Institute for Medical Research, Sir

Mortimer B Davis-Jewish General Hospital, Montreal,
QC, H3T 1E2, Can.

SOURCE: Anti-Cancer Drugs (2002), 13(5), 511-519
CODEN: ANTDEV; ISSN: 0959-4973
PUBLISHER: Lippincott Williams & Wilkins
DOCUMENT TYPE: Journal
LANGUAGE: English
REFERENCE COUNT: 40 THERE ARE 40 CITED REFERENCES AVAILABLE
RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L7 ANSWER 4 OF 30 CAPLUS COPYRIGHT 2006 ACS on STN

ACCESSION NUMBER: 2002:261896 CAPLUS

DOCUMENT NUMBER: 136:353907

TITLE: Phage display particles expressing tumor-specific
antigens induce preventive and therapeutic anti-tumor
immunity in murine P815 model

AUTHOR(S): Wu, Yuzhang; Wan, Ying; Bian, Jiang; Zhao, Jianping;
Jia, ZhengCai; Zhou, Liyun; Zhou, Wei; Tan, Yang

CORPORATE SOURCE: The Institute of Immunology, The Third Medicine
University, Chungking, 400038, Peop. Rep. China

SOURCE: International Journal of Cancer (2002), 98(5), 748-753
CODEN: IJCNW; ISSN: 0020-7136

PUBLISHER: Wiley-Liss, Inc.

DOCUMENT TYPE: Journal

LANGUAGE: English

REFERENCE COUNT: 38 THERE ARE 38 CITED REFERENCES AVAILABLE
RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L7 ANSWER 5 OF 30 CAPLUS COPYRIGHT 2006 ACS on STN

ACCESSION NUMBER: 2001:348043 CAPLUS

DOCUMENT NUMBER: 135:120918

TITLE: Epitope spreading upon P815 tumor rejection triggered
by vaccination with the single class I MHC-restricted
peptide P1A

AUTHOR(S): Markiewicz, Mary A.; Fallarino, Francesca; Ashikari,
Andrew; Gajewski, Thomas F.

CORPORATE SOURCE: Departments of Pathology, Committee on Immunology,
University of Chicago, Chicago, IL, 60637, USA

SOURCE: International Immunology (2001), 13(5), 625-632
CODEN: INIMEN; ISSN: 0953-8178

PUBLISHER: Oxford University Press

DOCUMENT TYPE: Journal

LANGUAGE: English

REFERENCE COUNT: 25 THERE ARE 25 CITED REFERENCES AVAILABLE
RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L7 ANSWER 6 OF 30 CAPLUS COPYRIGHT 2006 ACS on STN

ACCESSION NUMBER: 2000:678462 CAPLUS

DOCUMENT NUMBER: 133:348838

TITLE: The B subunit of shiga toxin fused to a tumor antigen
elicits CTL and targets dendritic cells to allow MHC
class I-restricted presentation of peptides derived
from exogenous antigens

AUTHOR(S): Haicheur, Nacilla; Bismuth, Emmanuelle; Bosset,
Sophie; Adotevi, Olivier; Warnier, Guy; Lacabanne,
Valerie; Regnault, Armelle; Desaymard, Catherine;
Amigorena, Sebastian; Ricciardi-Castagnoli, Paola;
Goud, Bruno; Fridman, Wolf H.; Johannes, Ludger;
Tartour, Eric

CORPORATE SOURCE: Unite d'Immunologie Clinique, Institut de la Sante et
de la Recherche Medicale, Unite 255, Universite Pierre
et Marie Curie, Institut Curie, Paris, 75248, Fr.

SOURCE: Journal of Immunology (2000), 165(6), 3301-3308
CODEN: JOIMA3; ISSN: 0022-1767

PUBLISHER: American Association of Immunologists

DOCUMENT TYPE: Journal

LANGUAGE: English

REFERENCE COUNT: 63 THERE ARE 63 CITED REFERENCES AVAILABLE
RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L7 ANSWER 7 OF 30 CAPLUS COPYRIGHT 2006 ACS on STN

ACCESSION NUMBER: 2000:673031 CAPLUS

DOCUMENT NUMBER: 134:221118

TITLE: Immunogenicity of tumor peptides: Importance of

peptide length and stability of peptide/MHC class II complex

AUTHOR(S): Grohmann, Ursula; Belladonna, Maria Laura; Bianchi, Roberta; Orabona, Ciriana; Silla, Silvia; Squillacioti, Giuseppe; Fioretti, Maria Cristina; Puccetti, Paolo

CORPORATE SOURCE: Department of Experimental Medicine, Pharmacology Section, University of Perugia, Giochetto, I-06126, Italy

SOURCE: Cancer Immunology Immunotherapy (1999), 48(4), 195-203
CODEN: CIIMDN; ISSN: 0340-7004

PUBLISHER: Springer-Verlag

DOCUMENT TYPE: Journal

LANGUAGE: English

REFERENCE COUNT: 21 THERE ARE 21 CITED REFERENCES AVAILABLE
RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L7 ANSWER 8 OF 30 CAPLUS COPYRIGHT 2006 ACS on STN

ACCESSION NUMBER: 2000:227537 CAPLUS

DOCUMENT NUMBER: 132:262172

TITLE: Use of neoangiogenesis markers for diagnosis and treatment of tumors

INVENTOR(S): Krause, Werner; Muschick, Peter

PATENT ASSIGNEE(S): Schering Aktiengesellschaft, Germany

SOURCE: PCT Int. Appl., 27 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: German

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2000018439	A2	20000406	WO 1999-EP7198	19990929
WO 2000018439	A3	20000914		
W: AE, AL, AM, AU, AZ, BA, BB, BG, BR, BY, CA, CN, CR, CU, CZ, DM, EE, ES, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZA, ZW				
RW: AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE				
DE 19845798	A1	20000413	DE 1998-19845798	19980929
PRIORITY APPLN. INFO.: DE 1998-19845798 A 19980929				

=> d kwic 7

L7 ANSWER 7 OF 30 CAPLUS COPYRIGHT 2006 ACS on STN

IT ***145882-36-6*** 329687-10-7 329687-11-8 329687-12-9 329687-13-0

RL: BPR (Biological process); BSU (Biological study, unclassified); PRP (Properties); BIOL (Biological study); PROC (Process)
(immunogenicity of ***tumor*** peptides and the importance of peptide length and stability of peptide/MHC class II complex)

=> d kwic 6

L7 ANSWER 6 OF 30 CAPLUS COPYRIGHT 2006 ACS on STN

IT 138831-86-4DP, fusion protein with Shiga toxin B subunit

145882-36-6DP, fusion protein with Shiga toxin B subunit

RL: BAC (Biological activity or effector, except adverse); BPR (Biological process); BSU (Biological study, unclassified); SPN (Synthetic preparation); BIOL (Biological study); PREP (Preparation); PROC (Process)
(B subunit of Shiga toxin fused to a ***tumor*** antigen elicits CTL and targets dendritic cells to allow MHC class I-restricted presentation of peptides derived from exogenous antigens)

=> d his

(FILE 'HOME' ENTERED AT 11:44:46 ON 18 MAY 2006)

FILE 'REGISTRY' ENTERED AT 11:44:56 ON 18 MAY 2006

L1 159373 S LPY/SQSP
L2 656 S L1 AND SQL=<10

FILE 'CAPLUS' ENTERED AT 11:45:45 ON 18 MAY 2006

L3 521 S L2
L4 708462 S CANCER? OR NEOPLAS? OR TUMOR?
L5 218 S L3 AND L4
L6 91 S L3 (L) L4
L7 30 S L6 NOT PY>2002

=> s deliver? or target?
281372 DELIVER?
471201 TARGET?
L8 724854 DELIVER? OR TARGET?

=> s l8 and l7
L9 7 L8 AND L7

=> d ibib 1-7

L9 ANSWER 1 OF 7 CAPLUS COPYRIGHT 2006 ACS on STN

ACCESSION NUMBER: 2004:200078 CAPLUS

DOCUMENT NUMBER: 140:229427

TITLE: Cancer immunotherapy and diagnosis using immunogenic peptides from human cytochrome P 450 1B1

INVENTOR(S): Schultze, Joachim L.; Vonderheide, Robert H.; Sherr, David; Nadler, Lee M.; Maecker, Britta; Von Bergwelt-Baildon, Michael

PATENT ASSIGNEE(S): Dana-Farber Cancer Institute, Inc., USA; Trustees of Boston University

SOURCE: PCT Int. Appl., 120 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: English

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2001035810	A2	20010525	WO 2000-US31513	20001115
WO 2001035810	A3	20020110		
W: CA, JP, US				
RW: AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR				
CA 2390882	AA	20010525	CA 2000-2390882	20001115
EP 1241945	A2	20020925	EP 2000-980436	20001115
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, FI, CY, TR				
PRIORITY APPLN. INFO.:		US 1999-165590P	P 19991115	
		WO 2000-US31513	W 20001115	

L9 ANSWER 2 OF 7 CAPLUS COPYRIGHT 2006 ACS on STN

ACCESSION NUMBER: 2000:678462 CAPLUS

DOCUMENT NUMBER: 133:348838

TITLE: The B subunit of shiga toxin fused to a tumor antigen elicits CTL and ***targets*** dendritic cells to allow MHC class I-restricted presentation of peptides derived from exogenous antigens

AUTHOR(S): Haicheur, Nacilla; Bismuth, Emmanuelle; Bosset, Sophie; Adotevi, Olivier; Warnier, Guy; Lacabanne, Valerie; Regnault, Armelle; Desaymard, Catherine; Amigorena, Sebastian; Ricciardi-Castagnoli, Paola; Goud, Bruno; Fridman, Wolf H.; Johannes, Ludger; Tartour, Eric

CORPORATE SOURCE: Unite d'Immunologie Clinique, Institut de la Sante et de la Recherche Medicale, Unite 255, Universite Pierre et Marie Curie, Institut Curie, Paris, 75248, Fr.

SOURCE: Journal of Immunology (2000), 165(6), 3301-3308

CODEN: JOIMA3; ISSN: 0022-1767

PUBLISHER: American Association of Immunologists

DOCUMENT TYPE: Journal

LANGUAGE: English

REFERENCE COUNT: 63 THERE ARE 63 CITED REFERENCES AVAILABLE

L9 ANSWER 3 OF 7 CAPLUS COPYRIGHT 2006 ACS on STN

ACCESSION NUMBER: 1999:549173 CAPLUS

DOCUMENT NUMBER: 131:175084

TITLE: Pharmaceutical formulation of a didemnin compound

INVENTOR(S): Beijnen, Jacob Hendrik; Nuyen, Bastiaan; Henrar, Roland Elizabeth Cornelis; Gomez, Andres; Jimeno, Jose

PATENT ASSIGNEE(S): Pharma Mar, S.A., Spain; Ruffles, Graham Keith

SOURCE: PCT Int. Appl., 12 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: English

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 9942125	A1	19990826	WO 1999-GB511	19990218
W: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM				
RW: GH, GM, KE, LS, MW, SD, SZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG				
CA 2321116	AA	19990826	CA 1999-2321116	19990218
AU 9925389	A1	19990906	AU 1999-25389	19990218
AU 754073	B2	20021107		
BR 9908088	A	20001031	BR 1999-8088	19990218
EP 1054686	A1	20001129	EP 1999-905091	19990218
EP 1054686	B1	20020515		
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, FI				
JP 2002503704	T2	20020205	JP 2000-532139	19990218
AT 217532	E	20020615	AT 1999-905091	19990218
PT 1054686	T	20020930	PT 1999-905091	19990218
ES 2175940	T3	20021116	ES 1999-905091	19990218
HK 1032538	A1	20021206	HK 2001-103194	20010507
PRIORITY APPLN. INFO.: GB 1998-3448 A 19980218				
WO 1999-GB511 W 19990218				
REFERENCE COUNT: 3 THERE ARE 3 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT				

L9 ANSWER 4 OF 7 CAPLUS COPYRIGHT 2006 ACS on STN

ACCESSION NUMBER: 1999:123663 CAPLUS

DOCUMENT NUMBER: 130:310353

TITLE: Herpes simplex virus as an in situ cancer vaccine for the induction of specific anti-tumor immunity

AUTHOR(S): Toda, Masahiro; Rabkin, Samuel D.; Kojima, Hidefumi; Martuza, Robert L.

CORPORATE SOURCE: Georgetown Brain Tumor Center and Department of Neurosurgery, Georgetown University Medical Center, Washington, DC, 20007, USA

SOURCE: Human Gene Therapy (1999), 10(3), 385-393

CODEN: HGTHE3; ISSN: 1043-0342

PUBLISHER: Mary Ann Liebert, Inc.

DOCUMENT TYPE: Journal

LANGUAGE: English

REFERENCE COUNT: 38 THERE ARE 38 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L9 ANSWER 5 OF 7 CAPLUS COPYRIGHT 2006 ACS on STN

ACCESSION NUMBER: 1999:13451 CAPLUS

DOCUMENT NUMBER: 130:236141

TITLE: Improved efficacy of dendritic cell vaccines and successful immunization with tumor antigen peptide-pulsed peripheral blood mononuclear cells by coadministration of recombinant murine interleukin-12

AUTHOR(S): Fallarino, Francesca; Uyttenhove, Catherine; Boon, Thierry; Gajewskii, Thomas F.

CORPORATE SOURCE: Department of Pathology, University of Chicago,

Chicago, IL, USA
SOURCE: International Journal of Cancer (1999), 80(2), 324-333
CODEN: IJCNAW; ISSN: 0020-7136
PUBLISHER: Wiley-Liss, Inc.
DOCUMENT TYPE: Journal
LANGUAGE: English
REFERENCE COUNT: 23 THERE ARE 23 CITED REFERENCES AVAILABLE
RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L9 ANSWER 6 OF 7 CAPLUS COPYRIGHT 2006 ACS on STN

ACCESSION NUMBER: 1995:531867 CAPLUS

DOCUMENT NUMBER: 123:74098

TITLE: Generation of a drug resistance profile by
quantitation of mdr-1/P-glycoprotein in the cell lines
of the National Cancer Institute Anticancer Drug
Screen

AUTHOR(S): Alvarez, Manuel; Paull, Ken; Monks, Anne; Hose,
Curtis; Lee, Jong-Seok; Weinstein, John; Grever, Mike;
Bates, Susan; Fojo, Tito

CORPORATE SOURCE: Lab. Mol. Pharmacol., Developmtl. Therapeutics
Program, National Cancer Institute, National
Institutes Health, Bethesda, MD, 20892, USA

SOURCE: Journal of Clinical Investigation (1995), 95(5),
2205-14

CODEN: JCINAO; ISSN: 0021-9738

PUBLISHER: Rockefeller University Press

DOCUMENT TYPE: Journal

LANGUAGE: English

L9 ANSWER 7 OF 7 CAPLUS COPYRIGHT 2006 ACS on STN

ACCESSION NUMBER: 1995:519394 CAPLUS

DOCUMENT NUMBER: 122:263156

TITLE: Synthetic oligonucleotide expressed by a recombinant
vaccinia virus elicits therapeutic CTL

AUTHOR(S): Irvine, Kari R.; McCabe, Barbra Jill; Rosenberg,
Steven A.; Restifo, Nicholas P.

CORPORATE SOURCE: Surgery Branch, Natl. Inst. Health, Bethesda, MD,
20892, USA

SOURCE: Journal of Immunology (1995), 154(9), 4651-7

CODEN: JOIMA3; ISSN: 0022-1767

PUBLISHER: American Association of Immunologists

DOCUMENT TYPE: Journal

LANGUAGE: English

=> d ibib kwic 1-7

L9 ANSWER 1 OF 7 CAPLUS COPYRIGHT 2006 ACS on STN

ACCESSION NUMBER: 2004:200078 CAPLUS

DOCUMENT NUMBER: 140:229427

TITLE: Cancer immunotherapy and diagnosis using immunogenic
peptides from human cytochrome P 450 1B1

INVENTOR(S): Schultze, Joachim L.; Vonderheide, Robert H.; Sherr,
David; Nadler, Lee M.; Maecker, Britta; Von
Bergwelt-Baildon, Michael

PATENT ASSIGNEE(S): Dana-Farber Cancer Institute, Inc., USA; Trustees of
Boston University

SOURCE: PCT Int. Appl., 120 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: English

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2001035810	A2	20010525	WO 2000-US31513	20001115
WO 2001035810	A3	20020110		
W: CA, JP, US				
RW: AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR				
CA 2390882	AA	20010525	CA 2000-2390882	20001115
EP 1241945	A2	20020925	EP 2000-980436	20001115
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT,				

AB This invention is based on the discovery that cytochrome P 450 1B1 (CYP1B1) includes peptides that bind to HLA mols. Antigen-presenting cells that present such peptides on their surfaces, in complexes with HLA, can activate cytotoxic T lymphocytes (CTLs) to specifically lyse cells expressing CYP1B1, in an MHC-restricted fashion. Based on observations that CYP1B1 is a mediator of dioxin-related effects on tumorigenesis, CYP1B1 is identified as a potential universal tumor antigen; it is over-expressed in nearly 100% of human tumors, whereas the expression in normal tissue is low. Thus, the invention provides methods for the immunotherapeutic ***targeting*** of CYP1B1-expressing cells, such as cancer cells, and methods of monitoring the efficacy of such therapeutic methods. The invention provides methods for conducting cancer immunotherapy and diagnosis using cytochrome P 450 1B1 and peptide fragments thereof, as well as cotreatment with a second or third tumor-assocd. antigen (e.g., telomerase).

IT 330596-22-0, Cytochrome P 450 1B1 344835-77-4 433304-00-8
 622837-65-4 622837-66-5 663892-54-4 663892-55-5 663892-56-6
 663892-57-7 ***663892-58-8*** 663892-59-9 663892-60-2
 663892-61-3 663892-62-4 663892-63-5 663892-64-6 663892-65-7
 663892-66-8 663892-67-9 663892-68-0 663892-69-1 663892-70-4
 663892-71-5 663892-72-6 663892-73-7 663892-74-8 663892-75-9
 663892-76-0 663892-77-1 663892-78-2 663892-79-3 663892-80-6
 663892-81-7 663892-82-8 663892-83-9 663892-84-0 663892-85-1
 663892-86-2 663892-87-3 663892-88-4 663892-89-5 663892-90-8
 663892-91-9 663892-92-0 663892-93-1 663892-94-2 663892-95-3
 663892-96-4 ***663892-97-5*** 663892-98-6 663892-99-7
 663893-00-3 663893-01-4 663893-02-5 663893-03-6 663893-04-7
 663893-05-8 663893-06-9 663893-07-0 663893-08-1 663893-09-2
 663893-10-5 663893-11-6 663893-12-7 663893-13-8 663893-14-9
 663893-15-0 663893-16-1 663893-17-2 663893-18-3 663893-19-4
 663893-20-7 663893-21-8 663893-22-9 663893-23-0 663893-24-1
 663893-25-2 663893-26-3 663893-27-4 663893-28-5 663893-29-6
 663893-30-9 663893-31-0 663893-32-1 663893-33-2 663893-34-3
 663893-35-4 663893-36-5 663893-37-6 663893-38-7 663893-39-8
 663893-40-1 663893-41-2 663893-42-3 663893-43-4 663893-44-5
 663893-45-6 663893-46-7 663893-47-8 663893-48-9 663893-49-0
 663893-50-3 663893-51-4 663893-52-5 663893-53-6 663893-54-7
 663893-55-8 663893-56-9 663893-57-0 663893-58-1 663893-59-2
 663893-60-5 663893-61-6 663893-62-7 663893-63-8 663893-64-9
 663893-65-0 663893-66-1 663893-67-2 663893-68-3 663893-69-4
 663893-70-7 663893-71-8 663893-72-9 663893-73-0 663893-74-1
 663893-75-2 663893-76-3 663893-77-4 663893-78-5 663893-79-6
 663893-80-9 663893-81-0 663893-82-1 663893-83-2 663893-84-3
 663893-85-4 663893-86-5 663893-87-6 663893-88-7 663893-89-8
 663893-90-1 663893-91-2 663893-92-3 663893-93-4 663893-94-5
 663893-95-6 663893-96-7 663893-97-8 663893-98-9 663893-99-0
 663894-00-6 663894-01-7 663894-02-8 663894-03-9 663894-04-0
 663894-05-1 663894-06-2 663894-07-3 663894-08-4 663894-09-5
 663894-10-8 663894-11-9 663894-12-0 663894-13-1 663894-14-2
 663894-15-3 663894-16-4 663894-17-5 663894-18-6 663894-19-7
 663894-20-0 663894-21-1 663894-22-2 663894-23-3 663894-24-4
 663894-25-5 663894-26-6 663894-27-7 663894-28-8 663894-29-9
 663894-30-2 663894-31-3 663894-32-4 663894-33-5 663894-34-6
 663894-35-7 663894-36-8 663894-37-9 663894-38-0
 663894-39-1 663894-40-4 663894-41-5 663894-42-6 663894-43-7
 663894-44-8 663894-45-9 663894-46-0 663894-47-1 663894-48-2
 663894-49-3 663894-50-6 663894-51-7 663894-52-8 663894-53-9
 663894-54-0 663894-55-1 663894-56-2 663894-57-3 663894-58-4
 663894-59-5 663894-60-8 663894-61-9 663894-62-0 663894-63-1
 663894-64-2 663894-65-3 663894-66-4 663894-67-5 663894-68-6
 663894-69-7 663894-70-0 663894-71-1 663894-72-2 663894-73-3
 663894-74-4 663894-75-5 663894-76-6 663894-77-7 663894-78-8
 663894-79-9 663894-80-2 663894-81-3 663894-82-4

RL: BSU (Biological study, unclassified); DGN (Diagnostic use); PRP (Properties); THU (Therapeutic use); BIOL (Biological study); USES (Uses)
 (***cancer*** immunotherapy and diagnosis using immunogenic peptides from human cytochrome P 450 1B1)

IT 663894-83-5 663894-84-6 663894-85-7 663894-86-8 663894-87-9
 663894-88-0 663894-89-1 663894-90-4 663894-91-5 663894-92-6
 663894-93-7 663894-94-8 663894-95-9 663894-96-0 663894-97-1
 663894-98-2 663894-99-3 663895-00-9 663895-01-0 663895-02-1

663895-03-2	663895-04-3	663895-05-4	663895-06-5	663895-07-6
663895-08-7	663895-09-8	663895-10-1	663895-11-2	663895-12-3
663895-13-4	663895-14-5	663895-15-6	663895-16-7	663895-17-8
663895-18-9	663895-19-0	663895-20-3	663895-21-4	663895-22-5
663895-23-6	663895-24-7	663895-25-8	663895-26-9	***663895-27-0***
663895-28-1	663895-29-2	663895-30-5	663895-31-6	
663895-32-7	663895-33-8	663895-34-9	663895-35-0	663895-36-1
663895-37-2	663895-38-3	663895-39-4	663895-40-7	663895-41-8
663895-42-9	663895-43-0	663895-44-1	663895-45-2	663895-46-3
663895-47-4	663895-48-5	663895-49-6	663895-50-9	663895-51-0
663895-52-1	663895-53-2	663895-54-3	663895-55-4	663895-56-5
663895-57-6	663895-58-7	663895-59-8	663895-60-1	663895-61-2
663895-62-3	663895-63-4	663895-64-5	663895-65-6	663895-66-7
663895-67-8	663895-68-9	663895-69-0	663895-70-3	663895-71-4
663895-72-5	663895-73-6	663895-74-7	663895-75-8	663895-76-9
663895-77-0	663895-78-1	663895-79-2	663895-80-5	663895-81-6
663895-82-7	663895-83-8	663895-84-9	663895-85-0	663895-86-1
663895-87-2	663895-88-3	663895-89-4	663895-90-7	663895-91-8
663895-92-9	663895-93-0	663895-94-1	663895-95-2	663895-96-3
663895-97-4	663895-98-5	663895-99-6	663896-00-2	663896-01-3
663896-02-4	663896-03-5	663896-04-6	663896-05-7	663896-06-8
663896-07-9	663896-08-0	663896-09-1	663896-10-4	663896-11-5
663896-12-6	663896-13-7	663896-14-8	663896-15-9	663896-16-0
663896-17-1	663896-18-2	663896-19-3	663896-20-6	663896-21-7
663896-22-8	663896-23-9	663896-24-0	663896-25-1	663896-26-2
663896-27-3	663896-28-4	663896-29-5	663896-30-8	663896-32-0
663896-34-2	663896-35-3	663896-36-4	663896-37-5	***663896-38-6***
663896-39-7	663896-40-0	663896-41-1	663896-42-2	663896-43-3
663896-44-4	663896-45-5	663896-46-6	663896-47-7	663896-48-8
663896-49-9	663896-50-2	663896-51-3	663896-52-4	663896-53-5
663896-54-6	663896-55-7	663896-56-8	663896-57-9	663896-58-0
663896-59-1	663896-60-4	663896-61-5	663896-62-6	663896-63-7
663896-64-8	663896-65-9	663896-66-0	663896-67-1	663896-68-2
663896-69-3	663896-70-6	663896-71-7	663896-72-8	663896-73-9
663896-74-0	663896-75-1	663896-76-2	663896-77-3	663896-78-4
663896-79-5	663896-80-8	663896-81-9	663896-82-0	663896-83-1
663896-84-2	663896-85-3	663896-86-4	663896-87-5	663896-88-6
663896-89-7	663896-90-0	663896-91-1	663896-92-2	663896-93-3
663896-94-4	663896-95-5	663896-96-6	663896-97-7	663896-98-8
663896-99-9	663897-00-5	663897-01-6	663897-02-7	663897-03-8
663897-04-9	663897-05-0	663897-06-1	663897-07-2	663897-08-3
663897-09-4	663897-10-7	663897-11-8	663897-12-9	663897-13-0
663897-14-1	663897-15-2	663897-16-3	663897-17-4	663897-18-5

RL: BSU (Biological study, unclassified); DGN (Diagnostic use); PRP (Properties); THU (Therapeutic use); BIOL (Biological study); USES (Uses)
 (***cancer*** immunotherapy and diagnosis using immunogenic peptides from human cytochrome P 450 1B1)

IT	663897-19-6	663897-20-9	***663897-21-0***	663897-22-1	
	663897-23-2	663897-24-3	663897-25-4	663897-26-5	663897-27-6
	663897-28-7	663897-29-8	663897-30-1	663897-31-2	663897-32-3
	663897-33-4	663897-34-5	663897-35-6	663897-36-7	663897-37-8
	663897-38-9	663897-39-0	663897-40-3	663897-41-4	663897-42-5
	663897-43-6	663897-44-7	663897-45-8	663897-46-9	663897-47-0
	663897-48-1	663897-49-2	663897-50-5	663897-51-6	663897-52-7
	663897-53-8	663897-54-9	663897-55-0	663897-56-1	663897-57-2
	663897-58-3	663897-59-4	663897-60-7	663897-61-8	663897-62-9
	663897-63-0	663897-64-1	663897-65-2	663897-66-3	663897-67-4
	663897-68-5	663897-69-6	663897-71-0	663897-72-1	663897-73-2
	663897-74-3	663897-75-4	663897-76-5	663897-77-6	663897-78-7
	663897-79-8	663897-80-1	663897-81-2	663897-82-3	663897-83-4
	663897-84-5	663897-85-6	663897-86-7	663897-87-8	663897-88-9
	663897-89-0	663897-90-3	663897-91-4	663897-92-5	663897-93-6
	663897-94-7	663897-95-8	663897-96-9	663897-97-0	663897-98-1
	663897-99-2	663898-00-8	663898-01-9	663898-02-0	663898-03-1
	663898-04-2	663898-05-3	663898-06-4	663898-07-5	663898-08-6
	663898-09-7	663898-10-0	663898-11-1	663898-12-2	663898-13-3
	663898-14-4	663898-15-5	663898-16-6	663898-17-7	663898-18-8
	663898-19-9	663898-20-2	663898-21-3	663898-22-4	663898-23-5
	663898-24-6	663898-26-8	***663898-27-9***	663898-28-0	
	663898-29-1	663898-30-4	663898-31-5	663898-32-6	663898-33-7
	663898-34-8	663898-35-9	663898-36-0	663898-37-1	663898-38-2
	663898-39-3	663898-40-6	663898-41-7	663898-42-8	663898-43-9
	663898-44-0	663898-45-1	663898-46-2	663898-47-3	663898-48-4
	663898-49-5	***663898-50-8***	663898-51-9	663898-52-0	

663898-53-1	663898-54-2	663898-55-3	663898-56-4	663898-57-5
663898-58-6	663898-59-7	663898-60-0	663898-61-1	663898-62-2
663898-63-3	663898-64-4	663898-65-5	663898-66-6	663898-67-7
663898-68-8	663898-69-9	***663898-70-2***	663898-71-3	
663898-72-4	663898-73-5	663898-74-6	663898-75-7	663898-76-8
663898-77-9	663898-78-0	663898-79-1	663898-80-4	663898-81-5
663898-82-6	663898-83-7	663898-84-8	663898-85-9	663898-86-0
663898-87-1	663898-88-2	663898-89-3	663898-90-6	663898-91-7
663898-92-8	663898-93-9	663898-94-0	663898-95-1	663898-96-2
663898-97-3	663898-98-4	663899-00-1	663899-01-2	663899-02-3
663899-03-4	663899-04-5	663899-05-6	663899-06-7	663899-07-8
663899-08-9	663899-09-0	663899-10-3	663899-11-4	663899-12-5
663899-13-6	663899-14-7	663899-15-8	663899-16-9	663899-17-0
663899-18-1	663899-19-2	663899-20-5	663899-21-6	663899-22-7
663899-23-8	663899-24-9	663899-25-0	663899-26-1	663899-27-2
663899-28-3	663899-29-4	663899-30-7	663899-31-8	663899-32-9
663899-34-1	663899-36-3	663899-39-6	663899-41-0	663899-43-2
663899-45-4	663899-47-6	663899-49-8	663899-50-1	663899-51-2
663899-52-3	663899-53-4	663899-54-5	663899-55-6	663899-56-7
663899-57-8	663899-59-0	663899-61-4	663899-63-6	663899-65-8
663899-67-0	663899-69-2	663899-71-6		

RL: BSU (Biological study, unclassified); DGN (Diagnostic use); PRP (Properties); THU (Therapeutic use); BIOL (Biological study); USES (Uses)
 (***cancer*** immunotherapy and diagnosis using immunogenic peptides from human cytochrome P 450 1B1)

IT	663899-73-8	663899-75-0	663899-77-2	663899-79-4	663899-81-8
	663899-83-0	663899-85-2	663899-87-4	663899-88-5	663899-89-6
	663899-90-9	663899-91-0	663899-92-1	663899-93-2	663899-94-3
	663899-95-4	663899-96-5	663899-97-6	663899-98-7	663899-99-8
	663900-00-3	663900-01-4	663900-02-5	***663900-03-6***	
	663900-04-7	663900-05-8	663900-06-9	663900-07-0	663900-08-1
	663900-09-2	663900-10-5	663900-11-6	663900-12-7	663900-13-8
	663900-14-9	663900-15-0	663900-16-1	663900-17-2	663900-18-3
	663900-19-4	663900-20-7	663900-21-8	663900-22-9	663900-23-0
	663900-24-1	663900-25-2	663900-26-3	663900-27-4	663900-28-5
	663900-29-6	663900-30-9	***663900-31-0***	663900-32-1	
	663900-33-2	663900-34-3	663900-35-4	663900-36-5	663900-37-6
	663900-38-7	663900-39-8	663900-40-1	663900-41-2	663900-42-3
	663900-43-4	663900-45-6	663900-46-7	663900-47-8	663900-49-0
	663900-51-4	663900-52-5	663900-54-7	663900-55-8	663900-56-9
	663900-57-0	663900-58-1	663900-59-2	663900-60-5	663900-61-6
	663900-62-7	663900-63-8	663900-64-9	663900-65-0	663900-66-1
	663900-67-2	663900-68-3	663900-69-4	663900-70-7	663900-71-8
	663900-72-9	663900-73-0	663900-74-1	663900-75-2	663900-76-3
	663900-77-4	663900-78-5	663900-79-6	663900-80-9	663900-81-0
	663900-82-1	663900-83-2	663900-84-3	663900-85-4	663900-86-5
	663900-87-6	663900-88-7	663900-89-8	663900-90-1	663900-91-2
	663900-92-3	663900-93-4	663900-94-5	***663900-95-6***	
	663900-96-7	663900-97-8	663900-98-9	663900-99-0	663901-00-6
	663901-01-7	663901-02-8	663901-03-9	663901-04-0	663901-05-1
	663901-06-2	663901-07-3	663901-08-4	663901-09-5	663901-10-8
	663901-11-9	663901-12-0	663901-13-1	663901-14-2	663901-15-3
	663901-16-4	663901-17-5	663901-18-6	663901-19-7	663901-20-0
	663901-21-1	663901-22-2	663901-23-3	663901-24-4	663901-25-5
	663901-26-6	663901-27-7	663901-28-8	663901-29-9	663901-30-2
	663901-31-3	663901-32-4	663901-33-5	663901-34-6	663901-35-7
	663901-36-8	663901-37-9	663901-38-0	663901-39-1	663901-40-4
	663901-41-5	663901-42-6	663901-43-7	663901-44-8	663901-45-9
	663901-46-0	663901-48-2	663901-50-6	663901-51-7	663901-52-8
	663901-53-9	663901-54-0	663901-55-1	663901-56-2	663901-57-3
	663901-58-4	663901-59-5	663901-60-8	***663901-61-9***	
	663901-62-0	663901-63-1	663901-64-2	663901-65-3	663901-66-4
	663901-67-5	663901-68-6	663901-69-7	663901-70-0	663901-71-1
	663901-72-2	663901-73-3	663901-74-4	663901-75-5	663901-76-6
	663901-77-7	663901-78-8	663901-79-9	663901-80-2	663901-81-3
	663901-82-4	663901-83-5	663901-84-6	663901-85-7	663901-86-8
	663901-87-9	663901-88-0	663901-89-1	663901-90-4	***663901-91-5***
	663901-92-6	663901-93-7	663901-94-8	663901-95-9	663901-96-0
	663901-97-1	663901-98-2	663901-99-3	663902-00-9	663902-01-0
	663902-02-1	663902-03-2	663902-04-3	663902-05-4	663902-06-5
	663902-07-6	663902-08-7	663902-09-8	663902-10-1	663902-11-2
	663902-12-3	663902-13-4	663902-14-5	663902-15-6	663902-16-7
	663902-17-8	663902-18-9	663902-19-0		

RL: BSU (Biological study, unclassified); DGN (Diagnostic use); PRP

(Properties); THU (Therapeutic use); BIOL (Biological study); USES (Uses)
 (***cancer*** immunotherapy and diagnosis using immunogenic
 peptides from human cytochrome P 450 1B1)

IT	663902-20-3	663902-21-4	663902-22-5	663902-23-6	663902-24-7
	663902-25-8	663902-26-9	663902-27-0	663902-28-1	663902-29-2
	663902-30-5	663902-31-6	663902-32-7	663902-33-8	663902-34-9
	663902-35-0	663902-36-1	663902-37-2	663902-38-3	663902-39-4
	663902-40-7	663902-41-8	663902-42-9	663902-43-0	663902-44-1
	663902-45-2	663902-46-3	663902-47-4	663902-48-5	663902-49-6
	663902-50-9	663902-51-0	663902-52-1	663902-53-2	663902-54-3
	663902-55-4	663902-57-6	663902-59-8	663902-61-2	663902-63-4
	663902-64-5	663902-65-6	663902-66-7	663902-67-8	663902-68-9
	663902-69-0	663902-70-3	663902-71-4	663902-72-5	663902-73-6
	663902-74-7	663902-75-8	663902-76-9	663902-77-0	663902-78-1
	663902-79-2	663902-80-5	663902-81-6	663902-82-7	663902-83-8
	663902-84-9	663902-85-0	663902-86-1	663902-87-2	663902-88-3
	663902-89-4	663902-90-7	663902-91-8	663902-92-9	663902-93-0
	663902-94-1	663902-95-2	663902-96-3	663902-97-4	663902-98-5
	663902-99-6	663903-00-2	663903-01-3	663903-02-4	663903-03-5
	663903-04-6	663903-05-7	663903-06-8	663903-07-9	663903-08-0
	663903-09-1	663903-10-4	663903-11-5	663903-12-6	663903-13-7
	663903-14-8	663903-15-9	663903-16-0	663903-17-1	663903-18-2
	663903-19-3	663903-20-6	663903-21-7	663903-22-8	663903-23-9
	663903-24-0	663903-25-1	663903-26-2	663903-27-3	663903-28-4
	663903-29-5	663903-30-8	663903-31-9	663903-32-0	663903-33-1
	663903-34-2	663903-35-3	***663903-36-4***	663903-37-5	
	663903-38-6	663903-39-7	663903-40-0	663903-41-1	663903-42-2
	663903-43-3	663903-44-4	663903-45-5	663903-46-6	663903-47-7
	663903-48-8	663903-49-9	663903-50-2	663903-51-3	663903-52-4
	663903-53-5	663903-54-6	663903-55-7	663903-56-8	663903-57-9
	663903-58-0	663903-59-1	663903-60-4	663903-61-5	663903-62-6
	663903-63-7	663903-64-8	663903-65-9	663903-66-0	663903-67-1
	663903-68-2	663903-69-3	663903-70-6	663903-71-7	663903-72-8
	663903-73-9	663903-74-0	663903-75-1	663903-76-2	663903-82-0
	663903-94-4	663903-95-5	663903-96-6	663904-09-4	663904-11-8
	663904-12-9	663904-13-0	663904-14-1	663904-15-2	663904-18-5
	663904-22-1	663904-23-2	663904-24-3	663904-25-4	663904-26-5
	663904-27-6	663904-28-7	663904-29-8	663904-30-1	663904-32-3
	663904-33-4	663904-34-5	663904-48-1	663904-49-2	663904-57-2
	663904-58-3	663904-62-9	663904-91-4	663904-93-6	663905-46-2
	663905-47-3	663905-48-4	663905-49-5	663905-50-8	663905-51-9
	663905-52-0	663905-53-1	663905-54-2	663905-55-3	663905-56-4
	663905-57-5	663905-58-6	663905-59-7	663905-60-0	663905-61-1
	663905-62-2	663905-63-3	663905-64-4	663905-65-5	663905-66-6
	663905-67-7	***663905-68-8***	***663905-69-9***	663905-72-4	
	663905-75-7	663905-76-8	663905-78-0	663905-80-4	663905-81-5
	663905-82-6	663905-83-7	663905-84-8	663905-85-9	663905-86-0
	663905-87-1	663905-88-2	663905-89-3	663905-90-6	663905-91-7
	663905-92-8	663905-93-9	663905-94-0	663905-95-1	663905-96-2
	663905-97-3	663905-98-4	663905-99-5	663906-00-1	663906-01-2
	663906-02-3				

RL: BSU (Biological study, unclassified); DGN (Diagnostic use); PRP
 (Properties); THU (Therapeutic use); BIOL (Biological study); USES (Uses)
 (***cancer*** immunotherapy and diagnosis using immunogenic
 peptides from human cytochrome P 450 1B1)

IT	663906-03-4	***663906-04-5***	663906-05-6	663906-06-7	
	663906-07-8	663906-08-9	663906-09-0	663906-10-3	663906-11-4
	663906-13-6	663906-14-7	663906-15-8	663906-16-9	663906-17-0
	663906-18-1	663906-19-2	663906-20-5	663906-21-6	663906-22-7
	663906-23-8	663906-25-0	663906-27-2	663906-29-4	663906-31-8
	663906-32-9	663906-33-0	663906-34-1	663906-35-2	663906-36-3
	663906-37-4	663906-38-5	663906-39-6	663906-40-9	663906-41-0
	663906-42-1	663906-43-2	663906-44-3	663906-45-4	663906-46-5
	663906-47-6	663906-48-7	663906-49-8	663906-50-1	663906-51-2
	663906-52-3	663906-53-4	663906-54-5	663906-55-6	663906-56-7
	663906-57-8	663906-59-0	663906-60-3	663906-61-4	663906-62-5
	663906-63-6	663906-64-7	663906-65-8	663906-66-9	663906-67-0
	663906-68-1	663906-69-2	663906-70-5	663906-71-6	663906-72-7
	663906-73-8	663906-74-9	663906-75-0	663906-76-1	663906-77-2
	663906-78-3	663906-79-4	663906-80-7	663906-81-8	663906-82-9
	663906-83-0	663906-84-1	663906-85-2	663906-86-3	663906-87-4
	663906-88-5	663906-89-6	663906-90-9	663906-91-0	663906-92-1
	663906-93-2	663906-94-3	663906-95-4	663906-96-5	663906-97-6
	663906-98-7	663906-99-8	663907-00-4	663907-01-5	663907-02-6

663907-03-7	663907-04-8	663907-05-9	663907-06-0	663907-07-1
663907-08-2	663907-09-3	663907-10-6	663907-11-7	663907-12-8
663907-16-2	663907-19-5	663907-22-0	663907-26-4	663907-30-0
663907-31-1	663907-32-2	663907-33-3	663907-34-4	663907-35-5
663907-36-6	663907-37-7	663907-38-8	663907-39-9	663907-40-2
663907-41-3	663907-42-4	663907-43-5	663907-44-6	663907-45-7
663907-46-8	663907-47-9	663907-48-0	663907-49-1	663907-50-4
663907-51-5	663907-52-6	663907-53-7	663907-54-8	663907-55-9
663907-56-0	663907-57-1	663907-58-2	663907-59-3	663907-60-6
663907-61-7	663907-62-8	663907-63-9	663907-64-0	663907-65-1
663907-66-2	663907-67-3	663907-68-4	663907-69-5	663907-70-8
663907-71-9	663907-72-0	663907-73-1	663907-74-2	663907-75-3
663907-76-4	663907-77-5	663907-78-6	663907-79-7	663907-80-0
663907-81-1	663907-82-2	663907-83-3	663907-84-4	663907-85-5
663907-86-6	663907-87-7	663907-88-8	663907-89-9	663907-90-2
663907-91-3	663907-92-4	663907-93-5	663907-94-6	663907-95-7
663907-96-8	663907-97-9	663907-98-0	663907-99-1	663908-00-7
663908-01-8	663908-02-9	663908-03-0	663908-04-1	663908-05-2
663908-06-3	663908-07-4	663908-08-5	663908-09-6	663908-10-9
663908-11-0	663908-12-1	663908-13-2	663908-14-3	663908-15-4
663908-16-5	663908-17-6	663908-18-7	663908-19-8	663908-20-1
663908-21-2	663908-22-3	663908-23-4	663908-24-5	663908-25-6
663908-26-7	663908-27-8	663908-28-9	663908-29-0	663908-30-3
663908-31-4	663908-32-5	663908-33-6	663908-34-7	663908-35-8
663908-36-9	663908-37-0	663908-38-1	663908-39-2	663908-40-5
663908-41-6	663908-42-7	663908-43-8	663908-44-9	663908-46-1
663908-47-2	663908-48-3	663908-49-4	663908-50-7	663908-51-8
663908-52-9	663908-53-0	663908-54-1	663908-55-2	663908-56-3

RL: BSU (Biological study, unclassified); DGN (Diagnostic use); PRP (Properties); THU (Therapeutic use); BIOL (Biological study); USES (Uses)
 (***cancer*** immunotherapy and diagnosis using immunogenic peptides from human cytochrome P 450 1B1)

IT 663908-57-4	663908-58-5	663908-59-6	663908-60-9	663908-61-0
663908-62-1	663908-63-2	663908-65-4	663908-67-6	663908-68-7
663908-69-8	663908-70-1	663908-72-3	663908-74-5	663908-76-7
663908-79-0	663908-81-4	663908-83-6	663908-85-8	663908-87-0
663908-88-1	663908-90-5	663908-92-7	663908-94-9	663908-95-0
663908-96-1	663908-98-3	663909-00-0	663909-01-1	663909-04-4
663909-07-7	663909-08-8	663909-10-2	663909-11-3	663909-13-5
663909-16-8	663909-19-1	663909-22-6	663909-24-8	663909-26-0
663909-29-3	663909-31-7	663909-32-8	663909-33-9	663909-34-0
663909-35-1	663909-36-2	663909-37-3	663909-38-4	663909-39-5
663909-40-8	663909-41-9	663909-42-0	663909-43-1	***663909-44-2***
663909-45-3	663909-46-4	663909-47-5	663909-48-6	663909-49-7
663909-50-0	663909-51-1	663909-52-2	663909-53-3	663909-54-4
663909-55-5	663909-56-6	663909-57-7	663909-58-8	663909-59-9
663909-60-2	663909-61-3	663909-62-4	663909-63-5	663909-64-6
663909-65-7	663909-66-8	663909-67-9	663909-68-0	663909-69-1
663909-70-4	663909-71-5	663909-72-6	663909-73-7	663909-74-8
663909-75-9	663909-76-0	663909-77-1	663909-78-2	663909-79-3
663909-80-6	663909-83-9	663909-86-2	663909-89-5	663909-92-0
663909-95-3	663909-98-6	663910-00-7	663910-01-8	

RL: BSU (Biological study, unclassified); DGN (Diagnostic use); PRP (Properties); THU (Therapeutic use); BIOL (Biological study); USES (Uses)
 (***cancer*** immunotherapy and diagnosis using immunogenic peptides from human cytochrome P 450 1B1)

L9 ANSWER 2 OF 7 CAPLUS COPYRIGHT 2006 ACS on STN

ACCESSION NUMBER: 2000:678462 CAPLUS

DOCUMENT NUMBER: 133:348838

TITLE: The B subunit of shiga toxin fused to a tumor antigen elicits CTL and ***targets*** dendritic cells to allow MHC class I-restricted presentation of peptides derived from exogenous antigens

AUTHOR(S): Haicheur, Nacilla; Bismuth, Emmanuelle; Bosset, Sophie; Adotevi, Olivier; Warnier, Guy; Lacabanne, Valerie; Regnault, Armelle; Desaymard, Catherine; Amigorena, Sebastian; Ricciardi-Castagnoli, Paola; Goud, Bruno; Fridman, Wolf H.; Johannes, Ludger; Tartour, Eric

CORPORATE SOURCE: Unite d'Immunologie Clinique, Institut de la Sante et de la Recherche Medicale, Unite 255, Universite Pierre et Marie Curie, Institut Curie, Paris, 75248, Fr.

SOURCE: Journal of Immunology (2000), 165(6), 3301-3308

PUBLISHER: American Association of Immunologists

DOCUMENT TYPE: Journal

LANGUAGE: English

REFERENCE COUNT: 63 THERE ARE 63 CITED REFERENCES AVAILABLE
RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

TI The B subunit of shiga toxin fused to a tumor antigen elicits CTL and
 targets dendritic cells to allow MHC class I-restricted
 presentation of peptides derived from exogenous antigens

AB Immunization with peptide or recombinant proteins generally fails to
 elicit CTL, which are thought to play a key role in the control of
 virus-infected cells and tumor growth. In this study we show that the
 nontoxic B subunit of Shiga toxin fused to a tumor peptide derived from
 the mouse mastocytoma P815 can induce specific CTL in mice without the use
 of adjuvant. The Shiga B subunit acts as a vector rather than as an
 adjuvant, because coinjection of the tumor peptide and the B subunit as
 sep. entities does not lead to CTL induction. We also demonstrated that
 in vitro the B subunit mediates the ***delivery*** of various
 exogenous CD8 T cell epitopes into the conventional MHC class I-restricted
 pathway, as this process is inhibited by brefeldin A and lactacystin and
 requires a functional TAP system. In contrast to other nonviral methods
 for transport of exogenous Ags into the endogenous MHC class I pathway
 that involve macropinocytosis or phagocytosis, the Shiga B subunit
 targets this pathway in a receptor-dependent manner, namely via
 binding to the glycolipid Gb3. Because this receptor is highly expressed
 on various dendritic cells, it should allow preferential ***targeting***
 of the Shiga B subunit to these professional APCs. Therefore, the Shiga B
 subunit appears to represent an attractive vector for vaccine development
 due to its ability to ***target*** dendritic cells and to induce
 specific CTL without the need for adjuvant.

IT Antigen presentation

Dendritic cell

Genetic vectors

MHC restriction

(B subunit of Shiga toxin fused to a tumor antigen elicits CTL and
 targets dendritic cells to allow MHC class I-restricted
 presentation of peptides derived from exogenous antigens)

IT Toxins

RL: BAC (Biological activity or effector, except adverse); BPR (Biological
 process); BSU (Biological study, unclassified); SPN (Synthetic
 preparation); BIOL (Biological study); PREP (Preparation); PROC (Process)
 (Shiga, B subunit, fusion protein with tumor antigen; B subunit of
 Shiga toxin fused to a tumor antigen elicits CTL and ***targets***
 dendritic cells to allow MHC class I-restricted presentation of
 peptides derived from exogenous antigens)

IT Proteins, specific or class

RL: BPR (Biological process); BSU (Biological study, unclassified); BIOL
 (Biological study); PROC (Process)

(TAP-1 (transporter in antigen processing 1); B subunit of Shiga toxin
 fused to a tumor antigen elicits CTL and ***targets*** dendritic
 cells to allow MHC class I-restricted presentation of peptides derived
 from exogenous antigens and requirement for)

IT Immunostimulants

(adjuvants; B subunit of Shiga toxin fused to a tumor antigen elicits
 CTL and ***targets*** dendritic cells to allow MHC class
 I-restricted presentation of peptides derived from exogenous antigens
 in absence of)

IT T cell (lymphocyte)

(cytotoxic; B subunit of Shiga toxin fused to a tumor antigen elicits
 CTL and ***targets*** dendritic cells to allow MHC class
 I-restricted presentation of peptides derived from exogenous antigens)

IT 138831-86-4DP, fusion protein with Shiga toxin B subunit

145882-36-6DP, fusion protein with Shiga toxin B subunit

RL: BAC (Biological activity or effector, except adverse); BPR (Biological
 process); BSU (Biological study, unclassified); SPN (Synthetic
 preparation); BIOL (Biological study); PREP (Preparation); PROC (Process)
 (B subunit of Shiga toxin fused to a ***tumor*** antigen elicits
 CTL and ***targets*** dendritic cells to allow MHC class
 I-restricted presentation of peptides derived from exogenous antigens)

IT 71965-57-6, Globotriaosylceramide

RL: BPR (Biological process); BSU (Biological study, unclassified); BIOL
 (Biological study); PROC (Process)

(B subunit of Shiga toxin fused to a tumor antigen elicits CTL and
 targets dendritic cells to allow MHC class I-restricted

presentation of peptides derived from exogenous antigens via binding to)

L9 ANSWER 3 OF 7 CAPLUS COPYRIGHT 2006 ACS on STN

ACCESSION NUMBER: 1999:549173 CAPLUS

DOCUMENT NUMBER: 131:175084

TITLE: Pharmaceutical formulation of a didemnin compound

INVENTOR(S): Beijnen, Jacob Hendrik; Nuyen, Bastiaan; Henrar, Roland Elizabeth Cornelis; Gomez, Andres; Jimeno, Jose

PATENT ASSIGNEE(S): Pharma Mar, S.A., Spain; Ruffles, Graham Keith

SOURCE: PCT Int. Appl., 12 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: English

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 9942125	A1	19990826	WO 1999-GB511	19990218
W: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM				
RW: GH, GM, KE, LS, MW, SD, SZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG				
CA 2321116	AA	19990826	CA 1999-2321116	19990218
AU 9925389	A1	19990906	AU 1999-25389	19990218
AU 754073	B2	20021107		
BR 9908088	A	20001031	BR 1999-8088	19990218
EP 1054686	A1	20001129	EP 1999-905091	19990218
EP 1054686	B1	20020515		
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, FI				
JP 2002503704	T2	20020205	JP 2000-532139	19990218
AT 217532	E	20020615	AT 1999-905091	19990218
PT 1054686	T	20020930	PT 1999-905091	19990218
ES 2175940	T3	20021116	ES 1999-905091	19990218
HK 1032538	A1	20021206	HK 2001-103194	20010507
PRIORITY APPLN. INFO.:			GB 1998-3448	A 19980218
		WO 1999-GB511	W 19990218	

REFERENCE COUNT: 3 THERE ARE 3 CITED REFERENCES AVAILABLE FOR RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

IT Drug ***delivery*** systems
(parenterals, freeze-dried; lyophilized parenteral pharmaceuticals contg. didemnin compds. for cancer treatment)

IT 69-65-8, D-Mannitol 110342-52-4, Didemnin ***137219-37-5*** , Aplidine

RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(lyophilized parenteral pharmaceuticals contg. didemnin compds. for ***cancer*** treatment)

L9 ANSWER 4 OF 7 CAPLUS COPYRIGHT 2006 ACS on STN

ACCESSION NUMBER: 1999:123663 CAPLUS

DOCUMENT NUMBER: 130:310353

TITLE: Herpes simplex virus as an in situ cancer vaccine for the induction of specific anti-tumor immunity

AUTHOR(S): Toda, Masahiro; Rabkin, Samuel D.; Kojima, Hidefumi; Martuza, Robert L.

CORPORATE SOURCE: Georgetown Brain Tumor Center and Department of Neurosurgery, Georgetown University Medical Center, Washington, DC, 20007, USA

SOURCE: Human Gene Therapy (1999), 10(3), 385-393

CODEN: HGTHE3; ISSN: 1043-0342

PUBLISHER: Mary Ann Liebert, Inc.

DOCUMENT TYPE: Journal

LANGUAGE: English

REFERENCE COUNT: 38 THERE ARE 38 CITED REFERENCES AVAILABLE FOR RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

AB The success of cancer gene therapy is likely to require the ***targeting*** of multiple antitumor mechanisms. One strategy involves

the use of attenuated, replication-competent virus vectors, such as herpes simplex virus type 1 (HSV-1) mutant G207, which is able to replicate in human tumor cells with resultant cell death and tumor growth inhibition, yet is nonpathogenic in normal tissue. In this study, we demonstrate that infection of established tumors with G207 also induces a highly specific systemic anti-tumor immune response. In a syngeneic, bilateral established s.c. tumor model, with mouse CT26 colorectal carcinoma cells in BALB/c mice or M3 melanoma cells in DBA/2 mice, unilateral intratumoral inoculation with G207 caused a significant redn. in the growth of both the inoculated and contralateral noninoculated tumors. This elicited anti-tumor response is dependent on viral infection of the tumor, as intradermal inoculation of G207 in BALB/c mice had no effect on CT26 tumor growth. Treatment of s.c. CT26 tumors by intratumoral inoculation of G207 induced a tumor-specific T cell response. CD8+ cytotoxic T lymphocyte (CTL) activity was generated that recognized a dominant "tumor-specific" major histocompatibility complex (MHC) class I-restricted epitope (AH1) from CT26 cells. In immune-competent animals, G207 is acting as an in situ tumor vaccine. Therefore, intratumoral G207 inoculation is able to inhibit tumor growth both by local cytotoxic viral replication in tumor cells and induction of a systemic anti-tumor immune response.

IT ***145882-36-6P***

RL: BPR (Biological process); BSU (Biological study, unclassified); SPN (Synthetic preparation); BIOL (Biological study); PREP (Preparation); PROC (Process)

(herpes simplex virus as an in situ ***cancer*** vaccine for induction of specific anti- ***tumor*** immunity and recognition of mastocytoma P815 antigenic peptide)

L9 ANSWER 5 OF 7 CAPLUS COPYRIGHT 2006 ACS on STN

ACCESSION NUMBER: 1999:13451 CAPLUS

DOCUMENT NUMBER: 130:236141

TITLE: Improved efficacy of dendritic cell vaccines and successful immunization with tumor antigen peptide-pulsed peripheral blood mononuclear cells by coadministration of recombinant murine interleukin-12

AUTHOR(S): Fallarino, Francesca; Uyttenhove, Catherine; Boon, Thierry; Gajewskii, Thomas F.

CORPORATE SOURCE: Department of Pathology, University of Chicago, Chicago, IL, USA

SOURCE: International Journal of Cancer (1999), 80(2), 324-333
CODEN: IJCNAW; ISSN: 0020-7136

PUBLISHER: Wiley-Liss, Inc.

DOCUMENT TYPE: Journal

LANGUAGE: English

REFERENCE COUNT: 23 THERE ARE 23 CITED REFERENCES AVAILABLE
RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

AB The well-characterized P815 tumor model was used to optimize anti-tumor immunization approaches in mice. Tumor peptides derived from antigens P198 or P1A were ***targeted*** to antigen-presenting cells (APC) by ex vivo pulsing. Initial expts. with irradiated pulsed splenic dendritic cells (sDC) injected weekly in the hind footpads for 3 wk demonstrated cytolytic T lymphocyte (CTL) generation in 10-20% of mice. Because of the importance of interleukin-12 (IL-12) in tumor rejection responses, pulsed sDCs also were given together with recombinant murine IL-12 (rmIL-12). This strategy induced peptide-specific CTL in 100% of the mice. The IL-12 had to be injected in the footpads on days 0, 1 and 2 of each immunization week to achieve an optimal effect. The improvement seen with the addn. of IL-12 prompted examn. of other sources of APC. Purified resting B cells, lipopolysaccharide (LPS) blasts and non-fractionated splenocytes or peripheral blood mononuclear cells (PBMC) were pulsed with peptide and administered with the same schedule of rmIL-12. Because these cell types appeared to bind peptides less avidly than did DC, increasing peptide doses were used during pulsing. Interestingly, immunization with each of these APC also induced specific CTL in 100% of mice, provided rmIL-12 was coadministered. CTLs were detected both in the spleen and in the peripheral blood. Immunization with irradiated, P1A-pulsed PBMC plus rmIL-12 resulted in protection against challenge with tumors expressing the specific antigen in all mice. The ease by which human patient PBMCs can be prepd. provides a straightforward vaccination approach to be used in clin. trials of peptide-based immunization in melanoma.

IT 136671-85-7P ***145882-36-6P***

RL: BAC (Biological activity or effector, except adverse); BPR (Biological process); BSU (Biological study, unclassified); SPN (Synthetic preparation); BIOL (Biological study); PREP (Preparation); PROC (Process)

(dendritic cell vaccines and immunization with ***tumor*** antigen peptide-pulsed peripheral blood mononuclear cells by coadministration of recombinant murine interleukin-12)

L9 ANSWER 6 OF 7 CAPLUS COPYRIGHT 2006 ACS on STN

ACCESSION NUMBER: 1995:531867 CAPLUS

DOCUMENT NUMBER: 123:74098

TITLE: Generation of a drug resistance profile by quantitation of mdr-1/P-glycoprotein in the cell lines of the National Cancer Institute Anticancer Drug Screen

AUTHOR(S): Alvarez, Manuel; Paull, Ken; Monks, Anne; Hose, Curtis; Lee, Jong-Seok; Weinstein, John; Grever, Mike; Bates, Susan; Fojo, Tito

CORPORATE SOURCE: Lab. Mol. Pharmacol., Developmtl. Therapeutics Program, National Cancer Institute, National Institutes Health, Bethesda, MD, 20892, USA

SOURCE: Journal of Clinical Investigation (1995), 95(5), 2205-14
CODEN: JCINAO; ISSN: 0021-9738

PUBLISHER: Rockefeller University Press

DOCUMENT TYPE: Journal

LANGUAGE: English

AB Identifying new chemotherapeutic agents and characterizing mechanisms of resistance may improve cancer treatment. The Anticancer Drug Screen of the National Cancer Institute uses 60 cell lines to identify new agents. Expression of mdr-1/P-glycoprotein was measured by quant. PCR. Expression was detected in 39 cell lines; the highest levels were in renal and colon carcinomas. Expression was also detected in all melanomas and central nervous system tumors, but in only one ovarian carcinoma and one leukemia cell line. Using a modified version of the COMPARE program, a high correlation was found between expression of mdr-1 and cellular resistance to a large no. of compds. Evidence that these compds. are P-glycoprotein substrates includes: (a) enhancement of cytotoxicity by verapamil; (b) demonstration of cross-resistance in a multidrug-resistant cell line, (c) ability to antagonize P-glycoprotein, increasing vinblastine accumulation by decreasing efflux; and (d) inhibition of photoaffinity labeling by azidopine. Identification of many heretofore unrecognized compds. as substrates indicates that P-glycoprotein has a broader substrate specificity than previously recognized. This study confirms the validity of this novel approach and provides the basis for similar studies examg. a diverse group of gene products, including other resistance mechanisms, putative drug ***targets***, and genes involved in the cell cycle and apoptosis.

IT 50-44-2, 6-Mercaptopurine 50-76-0, Actinomycin D 51-21-8, 5-Fluorouracil 52-24-4, Thiotepa 52-53-9, Verapamil 55-86-7, Nitrogen mustard 59-05-2, Methotrexate 127-07-1, Hydroxyurea 147-94-4, Cytosine arabinoside 148-82-3, Melphalan 154-93-8, BCNU 305-03-3, Chlorambucil 512-64-1, NSC 526417 865-21-4, Vinblastine 5853-29-2, (-)-Cephaeline dihydrochloride 7059-24-7, Chromomycin A3 11006-70-5, Olivomycin 13010-47-4, CCNU 15663-27-1, Cisplatinum 20830-81-3, Daunomycin 25316-40-9, Adriamycin 29767-20-2, VM-26 33069-62-4, Taxol 33419-42-0, VP-16 41451-75-6, Bruceantin 51264-14-3, Amsacrine 53142-03-3, NSC 646428 62816-98-2, Tetraplatin 63166-73-4, Phyllanthoside 63521-85-7 64725-24-2, Deoxybouvardin 64755-14-2, Bouvardin 65548-52-9, NSC 649087 71439-68-4, Bisantrone hydrochloride ***77327-05-0***, NSC 325319 80790-68-7 81552-36-5, Trioxacarcin A 86825-99-2 88254-07-3 110417-88-4, NSC 376128 123830-79-5, NSC 355644 130760-07-5, NSC 624332 131251-67-7, NSC 633320 133091-36-8, NSC 626852 153264-95-0 160262-47-5, NSC 640085 160338-75-0, NSC 172946 165169-10-8, NSC 80467 165169-11-9, NSC 353076 165169-12-0, NSC 620308 165169-13-1, NSC 637905 165169-14-2, NSC 645806 165169-15-3, NSC 648785 165198-36-7, NSC 648114 165198-37-8, NSC 346243 165198-38-9, NSC 626316 165198-39-0, NSC 344003 165290-33-5, NSC 643179

RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); THU (Therapeutic use); BIOL (Biological study); USES (Uses)

(generation of a drug resistance profile by quantitation of mdr-1/P-glycoprotein in the cell lines of the National ***Cancer*** Institute Anticancer Drug Screen)

L9 ANSWER 7 OF 7 CAPLUS COPYRIGHT 2006 ACS on STN

ACCESSION NUMBER: 1995:519394 CAPLUS

DOCUMENT NUMBER: 122:263156
 TITLE: Synthetic oligonucleotide expressed by a recombinant
 vaccinia virus elicits therapeutic CTL
 AUTHOR(S): Irvine, Kari R.; McCabe, Barbra Jill; Rosenberg,
 Steven A.; Restifo, Nicholas P.
 CORPORATE SOURCE: Surgery Branch, Natl. Inst. Health, Bethesda, MD,
 20892, USA
 SOURCE: Journal of Immunology (1995), 154(9), 4651-7
 CODEN: JOIMA3; ISSN: 0022-1767
 PUBLISHER: American Association of Immunologists
 DOCUMENT TYPE: Journal
 LANGUAGE: English

IT Antigens

RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses)
 (p815A; tumor rejection by cytotoxic T-cells is induced by vaccinia
 virus encoding endoplasmic reticulum- ***targeted*** peptide of)

IT Endoplasmic reticulum

Vaccines

(tumor rejection by cytotoxic T-cells is induced by vaccinia virus
 encoding endoplasmic reticulum- ***targeted*** peptide of
 tumor-assocd. antigen)

IT Histocompatibility antigens

RL: BPR (Biological process); BSU (Biological study, unclassified); BIOL
 (Biological study); PROC (Process)

(MHC (major histocompatibility antigen complex), class I, tumor
 rejection by cytotoxic T-cells is induced by vaccinia virus encoding
 endoplasmic reticulum- ***targeted*** peptide of tumor-assocd.
 antigen)

IT Lymphocyte

(T-cell, cytotoxic, vaccinia virus encoding endoplasmic reticulum-
 targeted tumor-assocd. antigenic peptide induces tumor
 rejection by)

IT Antigens

RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses)
 (tumor-assocd., tumor rejection by cytotoxic T-cells is induced by
 vaccinia virus encoding endoplasmic reticulum- ***targeted***
 peptide of)

IT Virus, animal

(vaccinia, tumor rejection by cytotoxic T-cells is induced by vaccinia
 virus encoding endoplasmic reticulum- ***targeted*** peptide of
 tumor-assocd. antigen)

IT ***145882-36-6***

RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses)
 (***tumor*** rejection by cytotoxic T-cells is induced by vaccinia
 virus encoding endoplasmic reticulum- ***targeted*** peptide of
 tumor -assocd. antigen)

=>

---Logging off of STN---

=>

Executing the logoff script...

=> LOG Y

COST IN U.S. DOLLARS	ENTRY	SINCE FILE SESSION	TOTAL
FULL ESTIMATED COST		51.43	85.29
DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)	ENTRY	SINCE FILE SESSION	TOTAL
CA SUBSCRIBER PRICE		-3.75	-3.75

STN INTERNATIONAL LOGOFF AT 11:50:35 ON 18 MAY 2006

Connecting via Winsock to STN

Welcome to STN International! Enter x:x

LOGINID:SSSPTA1642BJF

PASSWORD:

TERMINAL (ENTER 1, 2, 3, OR ?):2

***** Welcome to STN International *****

NEWS 1 Web Page URLs for STN Seminar Schedule - N. America
NEWS 2 "Ask CAS" for self-help around the clock
NEWS 3 JAN 17 Pre-1988 INPI data added to MARPAT
NEWS 4 FEB 21 STN AnaVist, Version 1.1, lets you share your STN AnaVist
visualization results
NEWS 5 FEB 22 The IPC thesaurus added to additional patent databases on STN
NEWS 6 FEB 22 Updates in EPFULL; IPC 8 enhancements added
NEWS 7 FEB 27 New STN AnaVist pricing effective March 1, 2006
NEWS 8 MAR 03 Updates in PATDPA; addition of IPC 8 data without attributes
NEWS 9 MAR 22 EMBASE is now updated on a daily basis
NEWS 10 APR 03 New IPC 8 fields and IPC thesaurus added to PATDPAFULL
NEWS 11 APR 03 Bibliographic data updates resume; new IPC 8 fields and IPC
thesaurus added in PCTFULL
NEWS 12 APR 04 STN AnaVist \$500 visualization usage credit offered
NEWS 13 APR 12 LINSPEC, learning database for INSPEC, reloaded and enhanced
NEWS 14 APR 12 Improved structure highlighting in FQHIT and QHIT display
in MARPAT
NEWS 15 APR 12 Derwent World Patents Index to be reloaded and enhanced during
second quarter; strategies may be affected
NEWS 16 MAY 10 CA/CAPLUS enhanced with 1900-1906 U.S. patent records
NEWS 17 MAY 11 KOREAPAT updates resume

NEWS EXPRESS FEBRUARY 15 CURRENT VERSION FOR WINDOWS IS V8.01a,
CURRENT MACINTOSH VERSION IS V6.0c(ENG) AND V6.0Jc(JP),
AND CURRENT DISCOVER FILE IS DATED 19 DECEMBER 2005.
V8.0 AND V8.01 USERS CAN OBTAIN THE UPGRADE TO V8.01a AT
<http://download.cas.org/express/v8.0-Discover/>

NEWS HOURS STN Operating Hours Plus Help Desk Availability
NEWS LOGIN Welcome Banner and News Items
NEWS IPC8 For general information regarding STN implementation of IPC 8
NEWS X25 X.25 communication option no longer available after June 2006

Enter NEWS followed by the item number or name to see news on that
specific topic.

All use of STN is subject to the provisions of the STN Customer
agreement. Please note that this agreement limits use to scientific
research. Use for software development or design or implementation
of commercial gateways or other similar uses is prohibited and may
result in loss of user privileges and other penalties.

COMPLETE THE STN SURVEY - APRIL 27 THROUGH MAY 31

Dear valued STN customer,

In an effort to enhance your experience with STN, we would
like to better understand what you find useful. Please take
approximately 5 minutes to complete a web survey.

If you provide us with your name, login ID, and e-mail address, you
will be entered in a drawing to win a free iPod(R). Your responses
will be kept confidential and will help us make future improvements
to STN.

***Take survey: <http://www.zoomerang.com/survey.zgi?p=WEB2259HNKWTUW> ***

Thank you in advance for your participation.

***** STN Columbus *****

FILE 'HOME' ENTERED AT 13:42:48 ON 18 MAY 2006

=> file reg

COST IN U.S. DOLLARS	ENTRY	SINCE FILE SESSION	TOTAL
FULL ESTIMATED COST		0.21	0.21

FILE 'REGISTRY' ENTERED AT 13:42:56 ON 18 MAY 2006

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2006 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file
provided by InfoChem.

STRUCTURE FILE UPDATES: 16 MAY 2006 HIGHEST RN 884586-69-0
DICTIONARY FILE UPDATES: 16 MAY 2006 HIGHEST RN 884586-69-0

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH January 6, 2006

Please note that search-term pricing does apply when
conducting SmartSELECT searches.

*
* The CA roles and document type information have been removed from *
* the IDE default display format and the ED field has been added, *
* effective March 20, 2005. A new display format, IDERL, is now *
* available and contains the CA role and document type information. *
*

Structure search iteration limits have been increased. See HELP SLIMITS
for details.

REGISTRY includes numerically searchable data for experimental and
predicted properties as well as tags indicating availability of
experimental property data in the original document. For information
on property searching in REGISTRY, refer to:

<http://www.cas.org/ONLINE/UG/regprops.html>

=> s LPY/SQSP

L1 159373 LPY/SQSP

=> s l1 and SQL=<100

9239723 SQL=<100

L2 9302 L1 AND SQL=<100

=> s 137219-37-5 or 663892-58-8 or 663892-97-5 or 663894-35-7 or 663895-27-0

1 137219-37-5
(137219-37-5/RN)

1 663892-58-8
(663892-58-8/RN)

1 663892-97-5
(663892-97-5/RN)

1 663894-35-7
(663894-35-7/RN)

1 663895-27-0
(663895-27-0/RN)

L3 5 137219-37-5 OR 663892-58-8 OR 663892-97-5 OR 663894-35-7 OR
663895-27-0

=> s l2 and l3

L4 5 L2 AND L3

=> d sql seq 1-5

L4 ANSWER 1 OF 5 REGISTRY COPYRIGHT 2006 ACS on STN

SQL ***g***

SEQ 1 PNLPHYVLA

===

HITS AT: 3-5

L4 ANSWER 2 OF 5 REGISTRY COPYRIGHT 2006 ACS on STN

SQL ***9***

SEQ 1 DQPNLPHYV

===

HITS AT: 5-7

L4 ANSWER 3 OF 5 REGISTRY COPYRIGHT 2006 ACS on STN

SQL ***9***

SEQ 1 GDQPNLPHYV

===

HITS AT: 6-8

L4 ANSWER 4 OF 5 REGISTRY COPYRIGHT 2006 ACS on STN

SQL ***9***

SEQ 1 NLPHYVLAFL

===

HITS AT: 2-4

L4 ANSWER 5 OF 5 REGISTRY COPYRIGHT 2006 ACS on STN

SQL ***8***

SEQ 1 PLTXXPY

===

HITS AT: 6-8

RELATED SEQUENCES AVAILABLE WITH SEQLINK

=> d cn sql seq 1-5

L4 ANSWER 1 OF 5 REGISTRY COPYRIGHT 2006 ACS on STN

CN L-Phenylalanine, L-prolyl-L-asparaginyl-L-leucyl-L-prolyl-L-tyrosyl-L-valyl-L-leucyl-L-alanyl- (9CI) (CA INDEX NAME)

OTHER NAMES:

CN 26: PN: WO0135810 SEQID: 276 claimed protein

SQL ***9***

SEQ 1 PNLPHYVLA

===

HITS AT: 3-5

L4 ANSWER 2 OF 5 REGISTRY COPYRIGHT 2006 ACS on STN

CN L-Leucine, L-.alpha.-aspartyl-L-glutaminyl-L-prolyl-L-asparaginyl-L-leucyl-L-prolyl-L-tyrosyl-L-valyl- (9CI) (CA INDEX NAME)

OTHER NAMES:

CN 51: PN: WO0135810 SEQID: 184 claimed protein

SQL ***9***

SEQ 1 DQPNLPHYV

===

HITS AT: 5-7

L4 ANSWER 3 OF 5 REGISTRY COPYRIGHT 2006 ACS on STN

CN L-Valine, glycyl-L-.alpha.-aspartyl-L-glutaminyl-L-prolyl-L-asparaginyl-L-leucyl-L-prolyl-L-tyrosyl- (9CI) (CA INDEX NAME)

OTHER NAMES:

CN 6: PN: WO0135810 SEQID: 46 claimed protein

SQL ***9***

SEQ 1 GDQPNLPHYV

===

HITS AT: 6-8

L4 ANSWER 4 OF 5 REGISTRY COPYRIGHT 2006 ACS on STN

CN L-Leucine, L-asparaginyl-L-leucyl-L-prolyl-L-tyrosyl-L-valyl-L-leucyl-L-alanyl-L-phenylalanyl- (9CI) (CA INDEX NAME)

OTHER NAMES:
CN 7: PN: WO0135810 SEQID: 6 claimed protein
SQL ***9***

SEQ 1 NLPYVLAFL
===
HITS AT: 2-4

L4 ANSWER 5 OF 5 REGISTRY COPYRIGHT 2006 ACS on STN
CN Didemnin A, N-[1-(1,2-dioxopropyl)-L-prolyl]- (9CI) (CA INDEX NAME)
OTHER CA INDEX NAMES:
CN 15H-Pyrrolo[2,1-f][1,15,4,7,10,20]dioxatetraazacyclotricosine, cyclic
peptide deriv.
OTHER NAMES:
CN Aplidin
CN Aplidine
CN Dehydrodidemnin B
CN Plitidepsin
SQL ***8***

SEQ 1 PLTXXLPY
===
HITS AT: 6-8

RELATED SEQUENCES AVAILABLE WITH SEQLINK

=>

---Logging off of STN---

=>
Executing the logoff script...

=> LOG Y

COST IN U.S. DOLLARS	ENTRY	SINCE FILE SESSION	TOTAL
FULL ESTIMATED COST		93.77	93.98

STN INTERNATIONAL LOGOFF AT 13:45:31 ON 18 MAY 2006

Connecting via Winsock to STN

Welcome to STN International! Enter x:x

LOGINID:SSSPTA1642BJF

PASSWORD:
TERMINAL (ENTER 1, 2, 3, OR ?):2

***** Welcome to STN International *****

NEWS 1 Web Page URLs for STN Seminar Schedule - N. America
NEWS 2 "Ask CAS" for self-help around the clock
NEWS 3 JAN 17 Pre-1988 INPI data added to MARPAT
NEWS 4 FEB 21 STN AnaVist, Version 1.1, lets you share your STN AnaVist
visualization results
NEWS 5 FEB 22 The IPC thesaurus added to additional patent databases on STN
NEWS 6 FEB 22 Updates in EPFULL; IPC 8 enhancements added
NEWS 7 FEB 27 New STN AnaVist pricing effective March 1, 2006
NEWS 8 MAR 03 Updates in PATDPA; addition of IPC 8 data without attributes
NEWS 9 MAR 22 EMBASE is now updated on a daily basis
NEWS 10 APR 03 New IPC 8 fields and IPC thesaurus added to PATDPAFULL
NEWS 11 APR 03 Bibliographic data updates resume; new IPC 8 fields and IPC

thesaurus added in PCTFULL

NEWS 12 APR 04 STN AnaVist \$500 visualization usage credit offered
NEWS 13 APR 12 LINSPEC, learning database for INSPEC, reloaded and enhanced
NEWS 14 APR 12 Improved structure highlighting in FQHIT and QHIT display
in MARPAT
NEWS 15 APR 12 Derwent World Patents Index to be reloaded and enhanced during
second quarter; strategies may be affected
NEWS 16 MAY 10 CA/CAPLUS enhanced with 1900-1906 U.S. patent records
NEWS 17 MAY 11 KOREAPAT updates resume

NEWS EXPRESS FEBRUARY 15 CURRENT VERSION FOR WINDOWS IS V8.01a,
CURRENT MACINTOSH VERSION IS V6.0c(ENG) AND V6.0Jc(JP),
AND CURRENT DISCOVER FILE IS DATED 19 DECEMBER 2005.
V8.0 AND V8.01 USERS CAN OBTAIN THE UPGRADE TO V8.01a AT
<http://download.cas.org/express/v8.0-Discover/>

NEWS HOURS STN Operating Hours Plus Help Desk Availability
NEWS LOGIN Welcome Banner and News Items
NEWS IPC8 For general information regarding STN implementation of IPC 8
NEWS X25 X.25 communication option no longer available after June 2006

Enter NEWS followed by the item number or name to see news on that
specific topic.

All use of STN is subject to the provisions of the STN Customer
agreement. Please note that this agreement limits use to scientific
research. Use for software development or design or implementation
of commercial gateways or other similar uses is prohibited and may
result in loss of user privileges and other penalties.

COMPLETE THE STN SURVEY - APRIL 27 THROUGH MAY 31

Dear valued STN customer,

In an effort to enhance your experience with STN, we would
like to better understand what you find useful. Please take
approximately 5 minutes to complete a web survey.

If you provide us with your name, login ID, and e-mail address, you
will be entered in a drawing to win a free iPod(R). Your responses
will be kept confidential and will help us make future improvements
to STN.

***Take survey: <http://www.zoomerang.com/survey.zgi?p=WEB2259HNKWTUW> ***

Thank you in advance for your participation.

***** STN Columbus *****

FILE 'HOME' ENTERED AT 14:06:21 ON 18 MAY 2006

=> file reg

COST IN U.S. DOLLARS	ENTRY	SINCE FILE SESSION	TOTAL
FULL ESTIMATED COST		0.21	0.21

FILE 'REGISTRY' ENTERED AT 14:06:30 ON 18 MAY 2006
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2006 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file
provided by InfoChem.

STRUCTURE FILE UPDATES: 17 MAY 2006 HIGHEST RN 884739-24-6
DICTIONARY FILE UPDATES: 17 MAY 2006 HIGHEST RN 884739-24-6

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH January 6, 2006

Please note that search-term pricing does apply when

conducting SmartSELECT searches.

*
* The CA roles and document type information have been removed from *
* the IDE default display format and the ED field has been added, *
* effective March 20, 2005. A new display format, IDERL, is now *
* available and contains the CA role and document type information. *
*

Structure search iteration limits have been increased. See HELP SLIMITS for details.

REGISTRY includes numerically searchable data for experimental and predicted properties as well as tags indicating availability of experimental property data in the original document. For information on property searching in REGISTRY, refer to:

<http://www.cas.org/ONLINE/UG/regprops.html>

```
=> s lpy/SQSP
L1      159373 LPY/SQSP

=> s l1 and SQL=<20
      3919358 SQL=<20
L2      1357 L1 AND SQL=<20
```

```
=> file caplus
COST IN U.S. DOLLARS          ENTRY    SINCE FILE    TOTAL
                                SESSION
FULL ESTIMATED COST          33.65    33.86
```

FILE 'CAPLUS' ENTERED AT 14:07:15 ON 18 MAY 2006
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2006 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 18 May 2006 VOL 144 ISS 21
FILE LAST UPDATED: 17 May 2006 (20060517/ED)

Effective October 17, 2005, revised CAS Information Use Policies apply. They are available for your review at:

<http://www.cas.org/infopolicy.html>

```
=> s l2
L3      881 L2

=> s cancer? or tumor? or neoplas?
      292904 CANCER?
      427701 TUMOR?
      449273 NEOPLAS?
L4      708462 CANCER? OR TUMOR? OR NEOPLAS?

=> s l3 (l) l4
L5      127 L3 (L) L4

=> s liposom?
L6      50046 LIPOSOM?

=> s l6 and l5
L7      8 L6 AND L5
```


=> s l7 not py>2002
3859922 PY>2002
L8 0 L7 NOT PY>2002

=> s l3 and l4
L9 312 L3 AND L4

=> s l9 and l6
L10 21 L9 AND L6

=> s l10 not py>2002
3859922 PY>2002
L11 1 L10 NOT PY>2002

=> d ibib

L11 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2006 ACS on STN
ACCESSION NUMBER: 1999:511054 CAPLUS
DOCUMENT NUMBER: 131:149319
TITLE: ***Liposome*** fusion and delivery vehicle
INVENTOR(S): Longmuir, Kenneth J.; Waring, Alan J.; Haynes, Sherry
M.
PATENT ASSIGNEE(S): USA
SOURCE: PCT Int. Appl., 47 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 9939742	A1	19990812	WO 1999-US2410	19990204
W: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM				
RW: GH, GM, KE, LS, MW, SD, SZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG				
US 6372720	B1	20020416	US 1998-19346	19980205
CA 2325744	AA	19990812	CA 1999-2325744	19990204
AU 9925823	A1	19990823	AU 1999-25823	19990204
EP 1053024	A1	20001122	EP 1999-905726	19990204
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, FI				

PRIORITY APPLN. INFO.: US 1998-19346 A 19980205
WO 1999-US2410 W 19990204
REFERENCE COUNT: 7 THERE ARE 7 CITED REFERENCES AVAILABLE FOR
RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

=> d kwic

L11 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2006 ACS on STN
TI ***Liposome*** fusion and delivery vehicle
AB Described herein are ***liposome*** complexes and the individual components thereof for intracellular and/or intranuclear delivery of substances. Methods of use of the provided ***liposome*** complexes and components are also described. Generally, the ***liposome*** complexes described herein include a non-cationic lipid, a fusogenic peptide and a substance to be delivered to the cell and/or nucleus. In some of the ***liposome*** complexes described herein, the fusogenic peptide does not contain multiple pos. charges at neutral pH and above. In these ***liposome*** complexes, two addnl. components are used in assembling the ***liposome*** complex with DNA.
ST pharmaceutical ***liposome*** nucleic acid cell delivery;
tumor cell targeting pharmaceutical ***liposome***
IT Pulmonary surfactant
(B peptide; ***liposome*** complexes and individual components thereof for intracellular and/or intranuclear delivery of substances)

IT Plasmids
(DNA; ***liposome*** complexes and individual components thereof for intracellular and/or intranuclear delivery of substances)

IT ***Neoplasm***
(cells; ***liposome*** complexes and individual components thereof for intracellular and/or intranuclear delivery of substances)

IT Embryo, animal
(chick; ***liposome*** complexes and individual components thereof for intracellular and/or intranuclear delivery of substances)

IT ***Liposomes***
(complexes, for intracellular and/or intranuclear delivery; ***liposome*** complexes and individual components thereof for intracellular and/or intranuclear delivery of substances)

IT Gene, animal
RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); BIOL (Biological study)
(for luciferase, expression of; ***liposome*** complexes and individual components thereof for intracellular and/or intranuclear delivery of substances)

IT Peptides, biological studies
RL: PEP (Physical, engineering or chemical process); THU (Therapeutic use); BIOL (Biological study); PROC (Process); USES (Uses)
(fusogenic; ***liposome*** complexes and individual components thereof for intracellular and/or intranuclear delivery of substances)

IT Animal cell
Cell nucleus
Cytoplasm
(***liposome*** complexes and individual components thereof for intracellular and/or intranuclear delivery of substances)

IT Nucleic acids
Polyoxyalkylenes, biological studies
RL: PEP (Physical, engineering or chemical process); THU (Therapeutic use); BIOL (Biological study); PROC (Process); USES (Uses)
(***liposome*** complexes and individual components thereof for intracellular and/or intranuclear delivery of substances)

IT DNA
RL: PEP (Physical, engineering or chemical process); THU (Therapeutic use); BIOL (Biological study); PROC (Process); USES (Uses)
(***liposome*** complexes with; ***liposome*** complexes and individual components thereof for intracellular and/or intranuclear delivery of substances)

IT Drug delivery systems
(***liposomes*** , for cell targeting; ***liposome*** complexes and individual components thereof for intracellular and/or intranuclear delivery of substances)

IT Lipids, biological studies
RL: PEP (Physical, engineering or chemical process); THU (Therapeutic use); BIOL (Biological study); PROC (Process); USES (Uses)
(noncationic; ***liposome*** complexes and individual components thereof for intracellular and/or intranuclear delivery of substances)

IT Phospholipids, biological studies
RL: PEP (Physical, engineering or chemical process); THU (Therapeutic use); BIOL (Biological study); PROC (Process); USES (Uses)
(zwitterionic or anionic; ***liposome*** complexes and individual components thereof for intracellular and/or intranuclear delivery of substances)

IT 9014-00-0, Luciferase
RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); BIOL (Biological study)
(gene for, expression of; ***liposome*** complexes and individual components thereof for intracellular and/or intranuclear delivery of substances)

IT 4004-05-1, Dioleoylphosphatidylethanolamine 4235-95-4 25322-68-3 56750-90-4 125056-56-6 236093-94-0 236093-95-1 236093-96-2 236093-97-3 236093-98-4 236093-99-5 236094-00-1 236094-01-2 ***236094-02-3*** 236094-04-5 236094-05-6 236094-06-7
RL: PEP (Physical, engineering or chemical process); THU (Therapeutic use); BIOL (Biological study); PROC (Process); USES (Uses)
(***liposome*** complexes and individual components thereof for intracellular and/or intranuclear delivery of substances)

=> file reg

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

	ENTRY	SESSION
FULL ESTIMATED COST	16.61	50.47

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)	SINCE FILE	TOTAL
ENTRY	SESSION	
CA SUBSCRIBER PRICE	-0.75	-0.75

FILE 'REGISTRY' ENTERED AT 14:09:37 ON 18 MAY 2006
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2006 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file
provided by InfoChem.

STRUCTURE FILE UPDATES: 17 MAY 2006 HIGHEST RN 884739-24-6
DICTIONARY FILE UPDATES: 17 MAY 2006 HIGHEST RN 884739-24-6

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH January 6, 2006

Please note that search-term pricing does apply when
conducting SmartSELECT searches.

*
* The CA roles and document type information have been removed from *
* the IDE default display format and the ED field has been added, *
* effective March 20, 2005. A new display format, IDERL, is now *
* available and contains the CA role and document type information. *
*

Structure search iteration limits have been increased. See HELP SLIMITS
for details.

REGISTRY includes numerically searchable data for experimental and
predicted properties as well as tags indicating availability of
experimental property data in the original document. For information
on property searching in REGISTRY, refer to:

<http://www.cas.org/ONLINE/UG/regprops.html>

=> s 236094-02-3
L12 1 236094-02-3
(236094-02-3/RN)

=> d his

(FILE 'HOME' ENTERED AT 14:06:21 ON 18 MAY 2006)

FILE 'REGISTRY' ENTERED AT 14:06:30 ON 18 MAY 2006

L1 159373 S LPY/SQSP
L2 1357 S L1 AND SQL=<20

FILE 'CAPLUS' ENTERED AT 14:07:15 ON 18 MAY 2006

L3 881 S L2
L4 708462 S CANCER? OR TUMOR? OR NEOPLAS?
L5 127 S L3 (L) L4
L6 50046 S LIPOSOM?
L7 8 S L6 AND L5
L8 0 S L7 NOT PY>2002
L9 312 S L3 AND L4
L10 21 S L9 AND L6
L11 1 S L10 NOT PY>2002

FILE 'REGISTRY' ENTERED AT 14:09:37 ON 18 MAY 2006

L12 1 S 236094-02-3

=> s l12 and l2
L13 1 L12 AND L2

=> d en sql ocq

L13 ANSWER 1 OF 1 REGISTRY COPYRIGHT 2006 ACS on STN
CN L-Histidinamide, L-phenylalanyl-L-prolyl-L-isoleucyl-L-prolyl-L-leucyl-L-
prolyl-L-tyrosyl-L-alanyl-L-tryptophyl-L-leucyl-L-cysteinyglycyl-L-lysyl-
L-lysyl-L-lysyl-L-phenylalanyl-L-lysyl-L-leucyl-L-lysyl- (9CI) (CA INDEX
NAME)
SQL ***20***

SEQ 1 FPIPLPYAWL CGKKKFKLKH
==
HITS AT: 5-7

=>

=>

Executing the logoff script...

=> LOG H

COST IN U.S. DOLLARS	ENTRY	SINCE FILE SESSION	TOTAL
FULL ESTIMATED COST		7.24	57.71

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)	ENTRY	SINCE FILE SESSION	TOTAL
CA SUBSCRIBER PRICE		0.00	-0.75

SESSION WILL BE HELD FOR 60 MINUTES
STN INTERNATIONAL SESSION SUSPENDED AT 14:11:03 ON 18 MAY 2006

Connecting via Winsock to STN

Welcome to STN International! Enter x:x

LOGINID:SSSPTA1642BJF

PASSWORD:

***** RECONNECTED TO STN INTERNATIONAL *****
SESSION RESUMED IN FILE 'REGISTRY' AT 14:48:11 ON 18 MAY 2006
FILE 'REGISTRY' ENTERED AT 14:48:11 ON 18 MAY 2006
COPYRIGHT (C) 2006 American Chemical Society (ACS)

COST IN U.S. DOLLARS	ENTRY	SINCE FILE SESSION	TOTAL
FULL ESTIMATED COST		7.24	57.71

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)	ENTRY	SINCE FILE SESSION	TOTAL
CA SUBSCRIBER PRICE		0.00	-0.75

=> d his

(FILE 'HOME' ENTERED AT 14:06:21 ON 18 MAY 2006)

FILE 'REGISTRY' ENTERED AT 14:06:30 ON 18 MAY 2006

L1 159373 S LPY/SQSP
L2 1357 S L1 AND SQL=<20

FILE 'CAPLUS' ENTERED AT 14:07:15 ON 18 MAY 2006

L3 881 S L2
L4 708462 S CANCER? OR TUMOR? OR NEOPLAS?
L5 127 S L3 (L) L4
L6 50046 S LIPOSOM?
L7 8 S L6 AND L5
L8 0 S L7 NOT PY>2002
L9 312 S L3 AND L4
L10 21 S L9 AND L6
L11 1 S L10 NOT PY>2002

FILE 'REGISTRY' ENTERED AT 14:09:37 ON 18 MAY 2006
L12 1 S 236094-02-3
L13 1 S L12 AND L2

=> s l10 not py>2003
'2003' NOT A VALID FIELD CODE
15897 CANCER?
348992 TUMOR?
5424 NEOPLAS?
3 LIPOSOM?
0 PY>2003
L14 0 L10 NOT PY>2003

=> file caplus
COST IN U.S. DOLLARS
ENTRY SINCE FILE TOTAL
FULL ESTIMATED COST 26.72 77.19
DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS) SINCE FILE TOTAL
ENTRY SESSION
CA SUBSCRIBER PRICE 0.00 -0.75

FILE 'CAPLUS' ENTERED AT 14:49:03 ON 18 MAY 2006
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2006 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 18 May 2006 VOL 144 ISS 21
FILE LAST UPDATED: 17 May 2006 (20060517/ED)

Effective October 17, 2005, revised CAS Information Use Policies apply. They are available for your review at:

<http://www.cas.org/infopolicy.html>

=> s l10 not py>2003
2790637 PY>2003
L15 3 L10 NOT PY>2003

=> d ibib 1-3

L15 ANSWER 1 OF 3 CAPLUS COPYRIGHT 2006 ACS on STN

ACCESSION NUMBER: 2003:950032 CAPLUS

DOCUMENT NUMBER: 140:19766

TITLE: Compositions containing the SP(1-4) polypeptide, or
NEP antisense sequences and antibodies, and methods
for the regulation of proliferation of stem cells

INVENTOR(S): Rameshwar, Pranela

PATENT ASSIGNEE(S): University of Medicine & Dentistry of New Jersey, USA

SOURCE: U.S. Pat. Appl. Publ., 42 pp.

CODEN: USXXCO

DOCUMENT TYPE: Patent

LANGUAGE: English

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
US 2003225010	A1	20031204	US 2002-154332	20020521
PRIORITY APPLN. INFO.:			US 2002-154332	20020521

L15 ANSWER 2 OF 3 CAPLUS COPYRIGHT 2006 ACS on STN
ACCESSION NUMBER: 2001:12285 CAPLUS

DOCUMENT NUMBER: 134:99563
 TITLE: HLA binding peptides and their uses
 INVENTOR(S): Sette, Alessandro; Sidney, John; Southwood, Scott
 PATENT ASSIGNEE(S): Epimmune Inc., USA
 SOURCE: PCT Int. Appl., 58 pp.
 CODEN: PIXXD2
 DOCUMENT TYPE: Patent
 LANGUAGE: English
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2001000225	A1	20010104	WO 2000-US17842	20000628
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM				
RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG				
CA 2370413	AA	20010104	CA 2000-2370413	20000628
EP 1189624	A1	20020327	EP 2000-944976	20000628
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO				
JP 2003535024	T2	20031125	JP 2001-505934	20000628
PRIORITY APPLN. INFO.: US 1999-141422P P 19990629				
WO 2000-US17842 W 20000628				
REFERENCE COUNT: 2 THERE ARE 2 CITED REFERENCES AVAILABLE FOR RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT				

L15 ANSWER 3 OF 3 CAPLUS COPYRIGHT 2006 ACS on STN

ACCESSION NUMBER: 1999:511054 CAPLUS
 DOCUMENT NUMBER: 131:149319
 TITLE: ***Liposome*** fusion and delivery vehicle
 INVENTOR(S): Longmuir, Kenneth J.; Waring, Alan J.; Haynes, Sherry M.
 PATENT ASSIGNEE(S): USA
 SOURCE: PCT Int. Appl., 47 pp.
 CODEN: PIXXD2
 DOCUMENT TYPE: Patent
 LANGUAGE: English
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 9939742	A1	19990812	WO 1999-US2410	19990204
W: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM				
RW: GH, GM, KE, LS, MW, SD, SZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG				
US 6372720	B1	20020416	US 1998-19346	19980205
CA 2325744	AA	19990812	CA 1999-2325744	19990204
AU 9925823	A1	19990823	AU 1999-25823	19990204
EP 1053024	A1	20001122	EP 1999-905726	19990204
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, FI				
PRIORITY APPLN. INFO.: US 1998-19346 A 19980205				
WO 1999-US2410 W 19990204				
REFERENCE COUNT: 7 THERE ARE 7 CITED REFERENCES AVAILABLE FOR RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT				

=> file reg

COST IN U.S. DOLLARS

ENTRY	SINCE FILE SESSION	TOTAL
-------	--------------------	-------

FULL ESTIMATED COST

6.29 83.48

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)	SINCE FILE ENTRY	SESSION	TOTAL
CA SUBSCRIBER PRICE	0.00	-0.75	

FILE 'REGISTRY' ENTERED AT 14:50:14 ON 18 MAY 2006
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2006 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file
provided by InfoChem.

STRUCTURE FILE UPDATES: 17 MAY 2006 HIGHEST RN 884739-24-6
DICTIONARY FILE UPDATES: 17 MAY 2006 HIGHEST RN 884739-24-6

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH January 6, 2006

Please note that search-term pricing does apply when
conducting SmartSELECT searches.

*
* The CA roles and document type information have been removed from *
* the IDE default display format and the ED field has been added, *
* effective March 20, 2005. A new display format, IDERL, is now *
* available and contains the CA role and document type information. *
*

Structure search iteration limits have been increased. See HELP SLIMITS
for details.

REGISTRY includes numerically searchable data for experimental and
predicted properties as well as tags indicating availability of
experimental property data in the original document. For information
on property searching in REGISTRY, refer to:

<http://www.cas.org/ONLINE/UG/regprops.html>

=> d his

(FILE 'HOME' ENTERED AT 14:06:21 ON 18 MAY 2006)

FILE 'REGISTRY' ENTERED AT 14:06:30 ON 18 MAY 2006

L1 159373 S LPY/SQSP
L2 1357 S L1 AND SQL=<20

FILE 'CAPLUS' ENTERED AT 14:07:15 ON 18 MAY 2006

L3 881 S L2
L4 708462 S CANCER? OR TUMOR? OR NEOPLAS?
L5 127 S L3 (L) L4
L6 50046 S LIPOSOM?
L7 8 S L6 AND L5
L8 0 S L7 NOT PY>2002
L9 312 S L3 AND L4
L10 21 S L9 AND L6
L11 1 S L10 NOT PY>2002

FILE 'REGISTRY' ENTERED AT 14:09:37 ON 18 MAY 2006

L12 1 S 236094-02-3
L13 1 S L12 AND L2
L14 0 S L10 NOT PY>2003

FILE 'CAPLUS' ENTERED AT 14:49:03 ON 18 MAY 2006

L15 3 S L10 NOT PY>2003

FILE 'REGISTRY' ENTERED AT 14:50:14 ON 18 MAY 2006

=> s l1 and SQL=<30
5932094 SQL=<30

L16 1681 L1 AND SQL=<30

=> s l16 and l2

L17 1357 L16 AND L2

=> s l16 not l2

L18 324 L16 NOT L2

=> file caplus

COST IN U.S. DOLLARS

	ENTRY	SINCE FILE SESSION	TOTAL
FULL ESTIMATED COST		5.64	89.12

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)

	ENTRY	SINCE FILE SESSION	TOTAL
CA SUBSCRIBER PRICE		0.00	-0.75

FILE 'CAPLUS' ENTERED AT 14:51:12 ON 18 MAY 2006

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2006 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 18 May 2006 VOL 144 ISS 21

FILE LAST UPDATED: 17 May 2006 (20060517/ED)

Effective October 17, 2005, revised CAS Information Use Policies apply. They are available for your review at:

<http://www.cas.org/infopolicy.html>

=> s l18

L19 225 L18

=> s l19 and l4

L20 41 L19 AND L4

=> s l20 and l6

L21 1 L20 AND L6

=> d ibib

L21 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2006 ACS on STN

ACCESSION NUMBER: 1999:511054 CAPLUS

DOCUMENT NUMBER: 131:149319

TITLE: ***Liposome*** fusion and delivery vehicle

INVENTOR(S): Longmuir, Kenneth J.; Waring, Alan J.; Haynes, Sherry M.

PATENT ASSIGNEE(S): USA

SOURCE: PCT Int. Appl., 47 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: English

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 9939742	A1	19990812	WO 1999-US2410	19990204
W: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZW, AM, AZ, BY, KG, KZ, MD, RU,				

TJ, TM
 RW: GH, GM, KE, LS, MW, SD, SZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES,
 FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI,
 CM, GA, GN, GW, ML, MR, NE, SN, TD, TG
 US 6372720 B1 20020416 US 1998-19346 19980205
 CA 2325744 AA 19990812 CA 1999-2325744 19990204
 AU 9925823 A1 19990823 AU 1999-25823 19990204
 EP 1053024 A1 20001122 EP 1999-905726 19990204
 R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT,
 IE, FI
 PRIORITY APPLN. INFO.: US 1998-19346 A 19980205
 WO 1999-US2410 W 19990204
 REFERENCE COUNT: 7 THERE ARE 7 CITED REFERENCES AVAILABLE FOR
 RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

=>

---Logging off of STN---

=>

Executing the logoff script...

=> LOG Y

COST IN U.S. DOLLARS	ENTRY	SINCE FILE SESSION	TOTAL
FULL ESTIMATED COST		2.06	91.18

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)	ENTRY	SINCE FILE SESSION	TOTAL
CA SUBSCRIBER PRICE		0.00	-0.75

STN INTERNATIONAL LOGOFF AT 14:52:26 ON 18 MAY 2006

Connecting via Winsock to STN

Welcome to STN International! Enter x:x

LOGINID:SSSPTA1642BJF

PASSWORD:
 TERMINAL (ENTER 1, 2, 3, OR ?):2

***** Welcome to STN International *****

NEWS 1 Web Page URLs for STN Seminar Schedule - N. America
 NEWS 2 "Ask CAS" for self-help around the clock
 NEWS 3 JAN 17 Pre-1988 INPI data added to MARPAT
 NEWS 4 FEB 21 STN AnaVist, Version 1.1, lets you share your STN AnaVist
 visualization results
 NEWS 5 FEB 22 The IPC thesaurus added to additional patent databases on STN
 NEWS 6 FEB 22 Updates in EPFULL; IPC 8 enhancements added
 NEWS 7 FEB 27 New STN AnaVist pricing effective March 1, 2006
 NEWS 8 MAR 03 Updates in PATDPA; addition of IPC 8 data without attributes
 NEWS 9 MAR 22 EMBASE is now updated on a daily basis
 NEWS 10 APR 03 New IPC 8 fields and IPC thesaurus added to PATDPAFULL
 NEWS 11 APR 03 Bibliographic data updates resume; new IPC 8 fields and IPC
 thesaurus added in PCTFULL
 NEWS 12 APR 04 STN AnaVist \$500 visualization usage credit offered
 NEWS 13 APR 12 LINSPEC, learning database for INSPEC, reloaded and enhanced
 NEWS 14 APR 12 Improved structure highlighting in FQHIT and QHIT display
 in MARPAT
 NEWS 15 APR 12 Derwent World Patents Index to be reloaded and enhanced during
 second quarter; strategies may be affected

NEWS 16 MAY 10 CA/CAPplus enhanced with 1900-1906 U.S. patent records
NEWS 17 MAY 11 KOREAPAT updates resume

NEWS EXPRESS FEBRUARY 15 CURRENT VERSION FOR WINDOWS IS V8.01a,
CURRENT MACINTOSH VERSION IS V6.0c(ENG) AND V6.0Jc(JP),
AND CURRENT DISCOVER FILE IS DATED 19 DECEMBER 2005.
V8.0 AND V8.01 USERS CAN OBTAIN THE UPGRADE TO V8.01a AT
<http://download.cas.org/express/v8.0-Discover/>

NEWS HOURS STN Operating Hours Plus Help Desk Availability
NEWS LOGIN Welcome Banner and News Items
NEWS IPC8 For general information regarding STN implementation of IPC 8
NEWS X25 X.25 communication option no longer available after June 2006

Enter NEWS followed by the item number or name to see news on that specific topic.

All use of STN is subject to the provisions of the STN Customer agreement. Please note that this agreement limits use to scientific research. Use for software development or design or implementation of commercial gateways or other similar uses is prohibited and may result in loss of user privileges and other penalties.

COMPLETE THE STN SURVEY - APRIL 27 THROUGH MAY 31

Dear valued STN customer,

In an effort to enhance your experience with STN, we would
like to better understand what you find useful. Please take
approximately 5 minutes to complete a web survey.

If you provide us with your name, login ID, and e-mail address, you
will be entered in a drawing to win a free iPod(R). Your responses
will be kept confidential and will help us make future improvements
to STN.

***Take survey: <http://www.zoomerang.com/survey.zgi?p=WEB2259HNKWTUW> ***

Thank you in advance for your participation.

***** STN Columbus *****

FILE 'HOME' ENTERED AT 16:07:17 ON 18 MAY 2006

=> file reg

COST IN U.S. DOLLARS	ENTRY	SINCE FILE SESSION	TOTAL
FULL ESTIMATED COST		0.21	0.21

FILE 'REGISTRY' ENTERED AT 16:07:25 ON 18 MAY 2006
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2006 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 17 MAY 2006 HIGHEST RN 884739-24-6
DICTIONARY FILE UPDATES: 17 MAY 2006 HIGHEST RN 884739-24-6

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH January 6, 2006

Please note that search-term pricing does apply when conducting SmartSELECT searches.

*

*

* The CA roles and document type information have been removed from *
* the IDE default display format and the ED field has been added, *
* effective March 20, 2005. A new display format, IDERL, is now *

* available and contains the CA role and document type information. *

Structure search iteration limits have been increased. See HELP SLIMITS for details.

REGISTRY includes numerically searchable data for experimental and predicted properties as well as tags indicating availability of experimental property data in the original document. For information on property searching in REGISTRY, refer to:

<http://www.cas.org/ONLINE/UG/regprops.html>

=> s lpy/SQSP
L1 159373 LPY/SQSP

=> file caplus
COST IN U.S. DOLLARS ENTRY SINCE FILE TOTAL
 SESSION
FULL ESTIMATED COST 28.89 29.10

FILE 'CAPLUS' ENTERED AT 16:07:44 ON 18 MAY 2006
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2006 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 18 May 2006 VOL 144 ISS 21
FILE LAST UPDATED: 17 May 2006 (20060517/ED)

Effective October 17, 2005, revised CAS Information Use Policies apply. They are available for your review at:

<http://www.cas.org/infopolicy.html>

=> s l1
L2 21611 L1

=> s cancer? or tumor? or neoplas?
292904 CANCER?
427701 TUMOR?
449273 NEOPLAS?
L3 708462 CANCER? OR TUMOR? OR NEOPLAS?

=> s l2 and l3
L4 3097 L2 AND L3

=> s l2 (l) l3
L5 976 L2 (L) L3

=> s liposom?
L6 50046 LIPOSOM?

=> s l5 and l6
L7 21 L5 AND L6

=> s chemother? or (anticancer or (anti (2W) cancer))
76841 CHEMOTHER?
35080 ANTICANCER
46 ANTICANCERS
35100 ANTICANCER
(ANTICANCER OR ANTICANCERS)
406221 ANTI

9 ANTIS
406228 ANTI
(ANTI OR ANTIS)
278734 CANCER
40530 CANCERS
289315 CANCER
(CANCER OR CANCERS)
6337 ANTI (2W) CANCER
L8 110362 CHEMOTHER? OR (ANTICANCER OR (ANTI (2W) CANCER))

=> s l8 and l7
L9 2 L8 AND L7

=> d ibib 1-2

L9 ANSWER 1 OF 2 CAPLUS COPYRIGHT 2006 ACS on STN
ACCESSION NUMBER: 2006:193397 CAPLUS
DOCUMENT NUMBER: 144:272644
TITLE: Anti-mortalin 2 antibody and functional ribonucleic acids for treating cancer
INVENTOR(S): Kaul, Renuwadhwa; Taira, Kazunari; Kaul, Sunil
PATENT ASSIGNEE(S): National Institute of Advanced Industrial Science and Technology, Japan
SOURCE: PCT Int. Appl., 79 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: Japanese
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2006022344	A1	20060302	WO 2005-JP15459	20050825
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, KE, KG, KM, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SM, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW				
RW: AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, LV, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG, BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM				
JP 2006089471	A2	20060406	JP 2005-242063	20050824
PRIORITY APPLN. INFO.: JP 2004-246891 A 20040826				
JP 2005-242063 A 20050824				
REFERENCE COUNT: 11 THERE ARE 11 CITED REFERENCES AVAILABLE RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT				

L9 ANSWER 2 OF 2 CAPLUS COPYRIGHT 2006 ACS on STN
ACCESSION NUMBER: 2002:220814 CAPLUS
DOCUMENT NUMBER: 136:259587
TITLE: Novel tumor-associated marker
INVENTOR(S): Trakht, Ilya; Canfield, Robert; Kalantarov, Gary; Rudchenko, Sergei
PATENT ASSIGNEE(S): The Trustees of Columbia University in the City of New York, USA
SOURCE: PCT Int. Appl., 276 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2002022851	A2	20020321	WO 2001-US29242	20010918
WO 2002022851	A3	20030501		
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PH, PL,				

PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG,
 UZ, VN, YU, ZA, ZW
 RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW, AM, AZ, BY, KG,
 KZ, MD, RU, TJ, TM, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR,
 IE, IT, LU, MC, NL, PT, SE, TR, BF, BJ, CF, CG, CI, CM, GA, GN,
 GQ, GW, ML, MR, NE, SN, TD, TG
 CA 2422828 AA 20020321 CA 2001-2422828 20010918
 AU 2001092782 A5 20020326 AU 2001-92782 20010918
 EP 1326894 A2 20030716 EP 2001-973176 20010918
 R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT,
 IE, SI, LT, LV, FI, RO, MK, CY, AL, TR
 JP 2004518630 T2 20040624 JP 2002-527293 20010918
 PRIORITY APPLN. INFO.: US 2000-664958 A 20000918
 WO 2001-US29242 W 20010918

=> d kwic 2

L9 ANSWER 2 OF 2 CAPLUS COPYRIGHT 2006 ACS on STN

IT Drug delivery systems

(***liposomes*** ; novel tumor-assocd. marker)

IT AIDS (disease)

Animal tissue
 Apoptosis
 Ascitic fluid
 Autoimmune disease
 Bacteremia
 Blood analysis
 Blood plasma
 Blood serum
 Bone marrow
 Cerebrospinal fluid
 Chemiluminescent substances
 Chemotherapy
 Chromosome
 Concentration (process)
 Cryopreservation
 Cryptococcus (fungus)
 Cryptococcus (insect)
 Culture media
 Drugs
 Dyes
 Ebola virus
 Epitopes
 Escherichia coli
 Fluorescent substances
 Fusion, biological
 Genetic methods
 Hantavirus
 Human
 Human T-lymphotropic virus 1
 Human T-lymphotropic virus 2
 Human herpesvirus
 Human papillomavirus
 Imaging agents
 Immobilization, molecular or cellular
 Immunity
 Influenza virus
 Klebsiella
 Labels
 Lupus erythematosus
 Lymph
 Lymphoma
 Macrophage
 Mammary gland
 Melanoma
 Mus
 Neoplasm
 Nucleic acid hybridization
 Optical imaging devices
 Precipitation (chemical)
 Prostate gland
 Protein sequences
 Radiochemical analysis

Rheumatoid arthritis
Saliva
Sepsis
Septicemia
Staphylococcus
Streptococcus
Tear (ocular fluid)
Test kits
Testis, neoplasm
Tetanus
Urine analysis
Viremia

(novel tumor-assocd. marker)

IT 405011-18-9 405011-20-3 405011-22-5 405011-24-7 405011-64-5
405011-66-7 ***405011-69-0*** 405011-71-4 405011-73-6
405011-75-8 ***405011-77-0*** 405011-79-2

RL: PRP (Properties)

(unclaimed protein sequence; novel ***tumor*** -assocd. marker)

=> file reg

COST IN U.S. DOLLARS

ENTRY	SINCE FILE SESSION	TOTAL
FULL ESTIMATED COST	20.97	50.07

FILE 'REGISTRY' ENTERED AT 16:11:12 ON 18 MAY 2006
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2006 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file
provided by InfoChem.

STRUCTURE FILE UPDATES: 17 MAY 2006 HIGHEST RN 884739-24-6
DICTIONARY FILE UPDATES: 17 MAY 2006 HIGHEST RN 884739-24-6

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH January 6, 2006

Please note that search-term pricing does apply when
conducting SmartSELECT searches.

*
* The CA roles and document type information have been removed from *
* the IDE default display format and the ED field has been added, *
* effective March 20, 2005. A new display format, IDERL, is now *
* available and contains the CA role and document type information. *
*

Structure search iteration limits have been increased. See HELP SLIMITS
for details.

REGISTRY includes numerically searchable data for experimental and
predicted properties as well as tags indicating availability of
experimental property data in the original document. For information
on property searching in REGISTRY, refer to:

<http://www.cas.org/ONLINE/UG/regprops.html>

=> s 405011-66-7 or 405011-69-0 or 405011-75-8 or 405011-77-0

1 405011-66-7
(405011-66-7/RN)
1 405011-69-0
(405011-69-0/RN)
1 405011-75-8
(405011-75-8/RN)
1 405011-77-0
(405011-77-0/RN)

L10 4 405011-66-7 OR 405011-69-0 OR 405011-75-8 OR 405011-77-0

=> d his

(FILE 'HOME' ENTERED AT 16:07:17 ON 18 MAY 2006)

FILE 'REGISTRY' ENTERED AT 16:07:25 ON 18 MAY 2006

L1 159373 S LPY/SQSP

FILE 'CAPLUS' ENTERED AT 16:07:44 ON 18 MAY 2006

L2 21611 S L1

L3 708462 S CANCER? OR TUMOR? OR NEOPLAS?

L4 3097 S L2 AND L3

L5 976 S L2 (L) L3

L6 50046 S LIPOSOM?

L7 21 S L5 AND L6

L8 110362 S CHEMOTHER? OR (ANTICANCER OR (ANTI (2W) CANCER))

L9 2 S L8 AND L7

FILE 'REGISTRY' ENTERED AT 16:11:12 ON 18 MAY 2006

L10 4 S 405011-66-7 OR 405011-69-0 OR 405011-75-8 OR 405011-77-0

=> s l1 and l10

L11 4 L1 AND L10

=> s cn SQL SEQ 1-4

17719 CN

4522 CNS

22240 CN

(CN OR CNS)

2 SQL

17848 SEQ

1 SEQS

17849 SEQ

(SEQ OR SEQS)

18816078 1

16897302 4

L12 0 CN SQL SEQ 1-4

(CN(W)SQL(W)SEQ(W)1(W)4)

=> s l11

L13 4 L1 AND L10

=> d cn SQL SEQ 1-4

L13 ANSWER 1 OF 4 REGISTRY COPYRIGHT 2006 ACS on STN

CN 21: PN: WO0222851 FIGURE: 41B unclaimed protein (9CI) (CA INDEX NAME)

SQL 230

SEQ 1 RRMQYNRRFV NVVPTFGKKK GTTFTKIFVG GLPYHTTDAS LRKYFEGFG

===

51 IEEAVVITDR QTGKSRGYGF VTMAADRAAAE RACKDPNPPII DGRKANVNLA

101 YLGAKPWCLQ TGFAIGVQQQL HPTLIQRTYG LTPHYIYPPA IVQPSVVIPA

151 APVPSLSSPY IEYTPASPVY AQYPPATYDQ YPYAASPATA DSFVGYSYPAA

201 AVHQALSAAA PAGTTFVQYQ APQLQPDRMQ

HITS AT: 32-34

RELATED SEQUENCES AVAILABLE WITH SEQLINK

L13 ANSWER 2 OF 4 REGISTRY COPYRIGHT 2006 ACS on STN

CN 19: PN: WO0222851 FIGURE: 41A unclaimed protein (9CI) (CA INDEX NAME)

SQL 229

SEQ 1 SAGFSRPLAA PGVMYGSQKG TTFTKIFVGG LPYHTTDASL RKYFEGFGC

===

51 EEAVVITDRQ TGKSRGYGFV TMADRAAAER ACKDPNPPIID GRKANVNLAY

101 LGAKPWCLQT GFAIGVQQQLH PTLIQRTYGL TPHYIYPPAI VQPSVVIPAA

151 PVPSLSSPYI EYTPASPVYA QYPPATYDQY PYAASPATAD SFVGYSYPAA

201 VHQALSAAAP AGTTFVQYQA PQLQPDRMQ

HITS AT: 31-33

RELATED SEQUENCES AVAILABLE WITH SEQLINK

L13 ANSWER 3 OF 4 REGISTRY COPYRIGHT 2006 ACS on STN

CN 13: PN: WO0222851 FIGURE: 38 unclaimed protein (9CI) (CA INDEX NAME)

SQL 197

SEQ 1 MMFPQSRHSG SSHLPQQLKF TTSDSCDRIK DEFQLLQAQY HSLKLECDI
51 ASEKSEMQRH YVMYYEMSYG LNIEMHKQAE IVKRLNGICA QVLPYLSQEH
====
101 QQQVLGAIER AKQVTAPELN SIIRQQLQAH QLSQLQALAL PLTPLPVGLQ
151 PPSLPAVSAG TGLLSLSALG SQAHL SKEDK NGHDGDTHQE DDGEKSD
HITS AT: 93-95

RELATED SEQUENCES AVAILABLE WITH SEQLINK

L13 ANSWER 4 OF 4 REGISTRY COPYRIGHT 2006 ACS on STN
CN 11: PN: WO0222851 FIGURE: 37 unclaimed protein (9CI) (CA INDEX NAME)
SQL 196

SEQ 1 MFPQSRHSGS SHLPQQLKFT TSDSCDRIKD EFQLLQAQYH SLKLECDKL
51 SEKSEMQRHY VMYEYEMSYGL NIEMHKQAEI VKRLNGICAQ VLPYLSQEHQ
====
101 QQVLGAIERA KQVTAPELNS IIRQQLQAHQ LSQLQALALP LTPLPVGLQP
151 PSLPAVSAGT GLLSLSALGS QAHL SKEDKN GHDGDTHQED DGEKSD
HITS AT: 92-94

RELATED SEQUENCES AVAILABLE WITH SEQLINK

=>

---Logging off of STN---

=>
Executing the logoff script...

=> LOG Y

COST IN U.S. DOLLARS	ENTRY	SINCE FILE SESSION	TOTAL
FULL ESTIMATED COST		51.00	101.07

STN INTERNATIONAL LOGOFF AT 16:13:34 ON 18 MAY 2006